



*OXFORD, ENGLAND*

# **TRAFFIC & SITE MANAGEMENT**



**MANUFACTURING FOR SAFETY**



# PROFILE

With over 50 years of experience in manufacturing and a dedicated research and development team, JSP provide their customers and ultimately their consumers with exceptional products & value added solutions thanks to their market driven focus and best in class manufacturing.

JSP are the trusted choice for quality road safety products with a devoted team committed to excellence, responsive to bespoke demands – listening to their customers and consistently delivering promises.

Committed to the environment, JSP use 6,000 tonnes of recycled material per annum in their processes which include injection moulding, blow moulding, rotational moulding and compression moulding. A zero waste policy is adopted on all JSP manufacturing sites. JSP operate bespoke recycling services with large customers and end users to help them achieve the ISO14001 Environmental standard.

JSP products are manufactured under their worldwide QMS – Quality Management System and meet the latest European and international standards. The JSP Branding and in-mould labelling service is offered on a wide variety of products.





# CONTENTS

## INTRODUCTION

JSP Company Profile .....	01
Wind Stability Technology .....	03

## BARRIERS

Titan® Barrier .....	07
Frontier® Barrier .....	11
WorkGate® Barrier .....	15
Footway™ Closure Barrier .....	17
MoorGate™ Barrier .....	18
Champion™ Barrier .....	19
Titan® Expander Barrier .....	21

## TRAFFIC SEPARATORS

RoadBloc™ Barrier .....	23
-------------------------	----

## BRANDING

Brand It™ Bespoke Branding Service .....	25
--	----

## RECYCLING SERVICES

Recycling and ReCONditioning™ .....	29
-------------------------------------	----

## CONES

Cone Selection Guide .....	32
Dominator™ Two-Piece Cones .....	33
Navigator® Two-Piece Cones .....	35
Roadhog™ One-Piece Cones .....	35
Sand Weighted Cones .....	36
Cone Accessories .....	36
No Waiting Cones .....	37
Chain Holding Cones .....	39
Sports Cones .....	39

## POSTS & CHAINS

Posts, Chains and Bases .....	40
-------------------------------	----

## FENCING & DEMARCATION

Fencing Support and Bases .....	40
---------------------------------	----

Reflective Strip .....	40
Tapes .....	40
Caution Bunting .....	40

## CONE SIGNS

PortaCone™ Signs .....	41
------------------------	----

## CONTRAFLOW DELINEATION

Glopost Traffic Post .....	42
Springback Traffic Post .....	42

## SPEED RAMPS

Jumbo™ Ramps .....	43
Bolts for Jumbo™ Ramps .....	44

## VERGE POSTS

Wychwood™ Flexible Verge Posts .....	45
Churchill™ Verge Posts .....	45
Kingham™ Verge Posts .....	45

## WARNING LIGHTS & MOTORISTS TRIANGLE

Static and Flashing Maxilite™ .....	46
Flashing Microlite™ .....	46
Motorists Warning Triangle .....	46

## GRIT BINS

Heavy Duty Grit Bins .....	47
Retail Sized Grit Bins .....	48

## COLUMN PROTECTORS

Column Protectors .....	49
-------------------------	----

## MAINTENANCE & SCAFFOLDING

A-Frame Signs .....	50
Warning Cones .....	50
Scaffolding Grippa Pad .....	50
Scaffolding Joint Protector .....	50



# RESEARCH. DEVELOP. TEST.

JSP has worked with MIRA 'the UK's only full scale aerodynamic wind tunnel' to test and further develop our road safety products.

The Safety at Street Works and Road Works code of practice require barriers to withstand BS8442 Class C and Class B winds. Working with Mira we have been able meet these requirements and in some cases exceed them. It has also given us the raw data and insight to develop new products designed to offer the maximum wind stability possible. We have developed two new products to fit with our barriers - SurePole™ and SureFoot Bloc™.

*See next page for more details on SurePole™ and SureFoot Bloc™.*



The JSP R&D team working with Mira test engineers to record performance data.



Smoke is used to monitor airflow, ensuring the movement of air around the barrier is maximised.





Frontier® enduring wind speeds of over 50mph. The leading barriers are bending under the force but crucially, not falling.

Run	Configuration	Max. Speed (mph)	Photo Details: Number, Time of Day, Start of Run
0012	09:28	09:28	0012 09:28 09:28
0014	09:34	09:34	0014 09:34 09:34
0017	09:43	09:43	0017 09:43 09:43
0018	09:46	09:46	0018 09:46 09:46
0019	09:46	09:46	0019 09:46 09:46
0020	11:08	11:08	0020 11:08 11:08
0021	11:11	11:11	0021 11:11 11:11
0022	11:32	11:32	0022 11:32 11:32
0023	11:45	11:45	0023 11:45 11:45
0024	11:46	11:46	0024 11:46 11:46
0025	11:46	11:46	0025 11:46 11:46
0026	11:46	11:46	0026 11:46 11:46
0027	11:46	11:46	0027 11:46 11:46
0028	11:46	11:46	0028 11:46 11:46
0029	11:46	11:46	0029 11:46 11:46
0030	11:46	11:46	0030 11:46 11:46
0031	11:46	11:46	0031 11:46 11:46
0032	11:46	11:46	0032 11:46 11:46
0033	11:46	11:46	0033 11:46 11:46
0034	11:46	11:46	0034 11:46 11:46
0035	11:46	11:46	0035 11:46 11:46
0036	11:46	11:46	0036 11:46 11:46
0037	11:46	11:46	0037 11:46 11:46
0038	11:46	11:46	0038 11:46 11:46
0039	11:46	11:46	0039 11:46 11:46
0040	11:46	11:46	0040 11:46 11:46
0041	11:46	11:46	0041 11:46 11:46
0042	11:46	11:46	0042 11:46 11:46
0043	11:46	11:46	0043 11:46 11:46
0044	11:46	11:46	0044 11:46 11:46
0045	11:46	11:46	0045 11:46 11:46
0046	11:46	11:46	0046 11:46 11:46
0047	11:46	11:46	0047 11:46 11:46
0048	11:46	11:46	0048 11:46 11:46
0049	11:46	11:46	0049 11:46 11:46
0050	11:46	11:46	0050 11:46 11:46
0051	11:46	11:46	0051 11:46 11:46
0052	11:46	11:46	0052 11:46 11:46
0053	11:46	11:46	0053 11:46 11:46
0054	11:46	11:46	0054 11:46 11:46
0055	11:46	11:46	0055 11:46 11:46
0056	11:46	11:46	0056 11:46 11:46
0057	11:46	11:46	0057 11:46 11:46
0058	11:46	11:46	0058 11:46 11:46
0059	11:46	11:46	0059 11:46 11:46
0060	11:46	11:46	0060 11:46 11:46
0061	11:46	11:46	0061 11:46 11:46
0062	11:46	11:46	0062 11:46 11:46
0063	11:46	11:46	0063 11:46 11:46
0064	11:46	11:46	0064 11:46 11:46
0065	11:46	11:46	0065 11:46 11:46
0066	11:46	11:46	0066 11:46 11:46
0067	11:46	11:46	0067 11:46 11:46
0068	11:46	11:46	0068 11:46 11:46
0069	11:46	11:46	0069 11:46 11:46
0070	11:46	11:46	0070 11:46 11:46
0071	11:46	11:46	0071 11:46 11:46
0072	11:46	11:46	0072 11:46 11:46
0073	11:46	11:46	0073 11:46 11:46
0074	11:46	11:46	0074 11:46 11:46
0075	11:46	11:46	0075 11:46 11:46
0076	11:46	11:46	0076 11:46 11:46
0077	11:46	11:46	0077 11:46 11:46
0078	11:46	11:46	0078 11:46 11:46
0079	11:46	11:46	0079 11:46 11:46
0080	11:46	11:46	0080 11:46 11:46
0081	11:46	11:46	0081 11:46 11:46
0082	11:46	11:46	0082 11:46 11:46
0083	11:46	11:46	0083 11:46 11:46
0084	11:46	11:46	0084 11:46 11:46
0085	11:46	11:46	0085 11:46 11:46
0086	11:46	11:46	0086 11:46 11:46
0087	11:46	11:46	0087 11:46 11:46
0088	11:46	11:46	0088 11:46 11:46
0089	11:46	11:46	0089 11:46 11:46
0090	11:46	11:46	0090 11:46 11:46
0091	11:46	11:46	0091 11:46 11:46
0092	11:46	11:46	0092 11:46 11:46
0093	11:46	11:46	0093 11:46 11:46
0094	11:46	11:46	0094 11:46 11:46
0095	11:46	11:46	0095 11:46 11:46
0096	11:46	11:46	0096 11:46 11:46
0097	11:46	11:46	0097 11:46 11:46
0098	11:46	11:46	0098 11:46 11:46
0099	11:46	11:46	0099 11:46 11:46
0100	11:46	11:46	0100 11:46 11:46



MIRA

12055901

### Test Results JSP FSWT Test

Customer: JSP Limited  
Worham Mill  
Minster Lovell  
Oxford  
OX29 0TA

MIRA Contact: Climatic and Aerodynamics  
Projects  
MIRA Ltd  
Walling Street  
Nurslinton  
Warwickshire  
CV10 0TU

Authority: 605541

Test Date: 23/04/2014

Test Objective/Method/Specification No.

The objective of this test was to test a series of items designed by JSP and to determine the maximum airspeed at which these items remained stable.

Prepared By:

Michael Augustin  
Senior Aerodynamicist

Approved By:

Principal Engineer  
Date: 06/05/2014

© MIRA Ltd 2014. All rights reserved, subject to client contract. Information contained in this document may not be published in any form of advertisement or other media without prior approval of the Chief Executive Officer of MIRA.  
MIRA Ltd Registered Office: Watlington Street, Warwick, Warwickshire, CV10 0TU, England. <http://www.mira.co.uk>  
Tel: +44 (0)24 7655 5000 Fax: +44 (0)24 7655 5000 Registered in England No 4020751, VATA Registration GB 150 546 84





# BEST IN CLASS



## CLASS C

Barriers must be capable of withstanding class C winds (31 km/h) blowing from any direction. The code suggests it may be necessary to use ballast or cross-bracing as a means to achieve stability.

## CLASS B

In Scotland, there is a further requirement: Barriers must be capable of withstanding winds of class B (65km/h) blowing from any direction, where a site is unattended for 24 hours or more.

**Safety at Street Works  
and Road Works**  
A Code of Practice



October 2013



# NO MORE NEED FOR SANDBAGGING

A 6.5kg recycled PVC foot cover to add weight to a barrier rather than the traditional use of sandbags.




## ✓ SUREFOOT BLOC™

Heavy duty recycled PVC foot weighing 6.5kg. Anti-slip studs on the underside to aid grip to the ground and allow them to stack.



## ✓ ANTI-TRIP COMPATIBLE

The Surefoot Bloc™ can be easily locked onto the rear of the barrier foot. Ensuring the anti-trip feature is unhindered.



## ✓ SUREPOLE™ STABILITY POLES

The Surefoot Bloc™ can be a weighted anchor for the Frontier™ using one of its carry handles to accept the telescopic stability poles.

## REQUIRED BALLAST

For three in line Frontier® and Titan™ barriers.



WIND CLASS	 Class C 31km/h 19mph	 Class B 63km/h 39mph	 Exceed Class B Exceed 63km/h 39mph
REQUIRED EXTRA BALLAST	0kg	22kg	70kg
REQUIRED SUREFOOT BLOC™ SUREPOLE™	 No SureFoot Bloc™ No SurePole™	 x4 SureFoot Bloc™ No SurePole™	 x4 SureFoot Bloc™ x4 SurePole™

## WIND STABILITY Performance of Frontier® and Titan™ barrier with SureFoot Bloc™ & SurePole™

			
THREE - INLINE WITH ADDITIONAL SUREFOOT BLOC™	THREE - INLINE WITH POLES & SUREFOOT BLOC™	TWO - CROSS BAR WITH ADDITIONAL SUREFOOT BLOC™	FOUR - SQUARE WITH ADDITIONAL SUREFOOT BLOC™
WIND Class C - 31km/h 19mph 	WIND Class C - 31km/h 19mph 	WIND Class C - 31km/h 19mph 	WIND Class C - 31km/h 19mph 
WIND Class B - 63km/h 39mph Double bloc on rear feet 	WIND Class B - 63km/h 39mph 	WIND Class B - 63km/h 39mph 	WIND Class B - 63km/h 39mph 
	WIND Exceed Class B Additional blocs needed on barrier feet 	WIND Exceed Class B 	WIND - Exceed Class B 



# TITAN® BARRIER LONG STANDING VALUE

- Lowest lifetime cost = Unbeatable value.
- Unrivalled strength and durability.
- Made from the strongest virgin materials available.



## SUREFOOT® GUARANTEE

We are so confident in the reliability of our barrier feet- should there be an occurrence of broken feet, we will supply replacements at **NO EXTRA COST!**

\*Subject to terms of 'Surefoot' guarantee.



## SUREFOOT™ BARRIER FEET OPTIONS




KEW000-001-100 Anti-trip foot - black Qty 1



KEW000-005-300 Anti-trip foot - Hi-vis Qty 1



KET000-001-100 Standard foot Qty 1



## TITAN® BARRIER SYSTEM

DIMENSIONS	Weight	13.8kg (with Surefoot™ feet) 14.8kg (with Anti-Trip feet)
	Height	1005mm
	Width	2000mm
STANDARDS		BS8442 EN12899-1 (reflective only)
MATERIAL	Body	Polypropylene
	Feet	Recycled PVC 

Titan® is produced on one of the largest injection moulding machines in the UK using the strongest virgin materials available.



### REFLECTIVE PANEL

- Class R1 high intensity reflective.
- 20% more reflectivity than standard lower grade reflective material.
- Conforms to EN12899-1



### ANTI-TRIP FEET

- Scalloped design to prevent accidents.
- Black recycled PVC feet as standard.
- High visibility yellow version also available.



### SURELOCK QR™

- Barrier connector clip.
- Compatible with other styles of JSP barriers and other brands.
- Can be connected on uneven ground i.e. kerbs and rough terrain.



### STACKABLE

- Clever locking design maximises stability when stacked for storage/transporting correctly.
- 40 per pallet.



### STABILITY POLES AND BLOCS

- SurePole™ is extendable and attachable between one barrier and another.
- SurePole™ can be fixed with tie wraps for extra security.
- Can be attached to a Surefoot Bloc™ for extra weight and stability.



### BRANDING


- One-piece mould can be made in any colour.
- Three-piece version can be made with different coloured end pieces.
- Feet can also be coloured to suit.
- Company branding can be embossed at the front or rear of the barrier.



# TITAN® BARRIER OPTIONS



## TITAN® BARRIER WITH SUREFOOT™ STANDARD FEET



KBA073-000-600 Titan® traffic barrier - red Qty 2




CALL FOR DETAILS Titan® - 1 custom colour



CALL FOR DETAILS Titan® - 2 custom colours



## TITAN® BARRIER WITH SUREFOOT™ ANTI-TRIP FEET




KBP073-300-600 Titan® traffic barrier - red Qty 2




CALL FOR DETAILS Titan® - 1 custom colour




CALL FOR DETAILS Titan® - 2 custom colours



## TITAN® BARRIER WITH SUREFOOT™ HI-VIS ANTI-TRIP FEET



KBP073-000-600 Titan® traffic barrier - red Qty 2



CALL FOR DETAILS Titan® - 1 custom colour



CALL FOR DETAILS Titan® - 2 custom colours



# TITAN® BARRIER ACCESSORIES

## EXTRA STABILITY ACCESSORIES

### SUREFOOT BLOC™

A 6.5kg recycled PVC foot weight for added stability.



KEH000-001-100 Surefoot Bloc™ foot weight Qty 1

### SUREPOLE™

Telescopic stability pole to increase wind stability by bracing two barriers together or attaching it to a Surefoot Bloc™.



KVM010-000-200 SurePole™ stability pole Qty 1

## BARRIER CLIPS

### SURELOCK QR™

Anti-tamper barrier clips.



KUV000-000-000 Surelock QR™ (Pack of 10) Qty 1

## FLEXIBLE COREX SIGNS - 60cm x 45cm

\*Other colours are available



HBN170-400-100 "Road Closed" Qty 10



HBN100-400-100 "Footway Closed" Qty 10



HBN080-400-100 "Pedestrian Right" Qty 10

HBN070-400-100 "Pedestrian Left" Qty 10



HBB820-400-200 "Danger Deep Excavations" Qty 10

KUW000-001-100 Barrier Board Clips Pack of 4 Qty 1



MAKE YOUR COMPANY SEEN WITH



SEE PAGE 27 FOR DETAILS



# FRONTIER® BARRIER UNBEATABLE STABILITY

- The most versatile barrier on the market.
- Lightweight – making it easier to transport and carry, yet strong enough to withstand impact.
- Blow moulded HDPE.



## SUREFOOT® GUARANTEE

We are so confident in the reliability of our barrier feet- should there be an occurrence of broken feet, we will supply replacements at **NO EXTRA COST!**

\*Subject to terms of 'Surefoot™' guarantee.



## SUREFOOT™ BARRIER FEET OPTIONS



KEW000-001-100 Anti-Trip foot – black Qty 1

KEW000-005-300 Anti-Trip foot – yellow Qty 1

KET000-001-100 Standard foot Qty 1





## FRONTIER® BARRIER SYSTEM

DIMENSIONS	Weight	12.6kg (with Surefoot™ feet) 13.6kg (with Anti-Trip feet)
	Height	1010mm
	Width	2000mm
STANDARDS		BS8442 EN12899-1 (reflective only)
MATERIAL	Body	Polyethylene
	Feet	Recycled PVC 

Frontier® production is a fully automated process offering unrivalled cycle times.



### REFLECTIVE PANEL

- Class R1 high intensity reflective.
- 20% more reflectivity than standard lower grade reflective material.
- Conforms to EN12899-1



### ANTI-TRIP FEET

- Scalloped design to prevent accidents.
- Black recycled PVC feet as standard.
- High visibility yellow version also available.



### SURELOCK QR™

- Barrier connector clip.
- Compatible with other styles of JSP barriers and other brands.
- Can be connected on uneven ground i.e. kerbs and rough terrain.



### STACKABLE

- Clever locking design maximises stability when stacked for storage/transporting correctly.
- 40 per pallet.



### STABILITY POLES AND BLOCS

- SurePole™ is extendable and attachable between one barrier and another.
- SurePole™ can be fixed with tie wraps for extra security.
- Can be attached to a Surefoot Bloc™ for extra weight and stability.



### BRANDING

- One-piece mould can be made in any colour.
- Feet can also be coloured to suit.
- Contractor branding details can be embossed at the front of the barrier.



# FRONTIER® BARRIER OPTIONS



## FRONTIER® BARRIER WITH SUREFOOT™ STANDARD FEET



KBR079-000-800

Frontier® traffic barrier - orange

Qty 2

CALL FOR DETAILS

Frontier® traffic barrier - 1 custom colour



## FRONTIER™ BARRIER WITH SUREFOOT™ ANTI-TRIP FEET



KBS079-300-800

Frontier® traffic barrier - orange

Qty 2

CALL FOR DETAILS

Frontier® traffic barrier - 1 custom colour



## FRONTIER® BARRIER WITH SUREFOOT™ HI-VIS ANTI-TRIP FEET



KBS079-000-800

Frontier® traffic barrier - orange

Qty 2

CALL FOR DETAILS

Frontier® traffic barrier - 1 custom colour



# FRONTIER® BARRIER ACCESSORIES

## EXTRA STABILITY ACCESSORIES

### SUREFOOT BLOC™

A 6.5kg recycled PVC foot weight for added stability.



KEH000-001-100 Surefoot Bloc™ foot weight Qty 1

### SUREPOLE™

Telescopic stability pole to increase wind stability by bracing two barriers together or attaching it to a SureFoot Bloc™.



KVM010-000-200 SurePole™ stability pole Qty 1

## BARRIER CLIPS

### SURELOCK QR™

Anti-tamper barrier clips.



KUV000-000-000 Surelock QR™ (Pack of 10) Qty 1

## FLEXIBLE COREX SIGNS - 60cm x 45cm

\*Other colours are available



HBN170-400-100 "Road Closed" Qty 10



HBN100-400-100 "Footway Closed" Qty 10



HBN080-400-100 "Pedestrian Right" Qty 10

HBN070-400-100 "Pedestrian Left" Qty 10



HBB820-400-200 "Danger Deep Excavations" Qty 10

KUW000-001-100 Barrier board clips pack of 4 Qty 1



MAKE YOUR COMPANY SEEN WITH



SEE PAGE 27 FOR DETAILS



# WORKGATE® BARRIER SMALL BUT MIGHTY

- Supplied as 3 or 4 gate versions.
- Versatile solution to many environments.
- Can be joined together to create a closed off space or can be joined in a line to form a divide.



**WORKGATE®**



FOOTWAY  
CLOSED

ROAD  
CLOSED

PEDESTRIANS  
→

**Danger**  
Deep  
Excavations

**SIGN OPTIONS  
SEE PAGE 14**

## BARRIER GATE OPTIONS



**3 GATE SYSTEM**



**4 GATE SYSTEM**


## BARRIER FEET OPTIONS



KEV000-001-100 Workgate® foot

Qty 1






Workgate® - Instant colour changes possible with our computerised dosing equipment.



#### ✓ REFLECTIVE PANEL

- Class R1 high intensity reflective.
- 20% more reflectivity than standard lower grade reflective material.
- Conforms to EN12899-1



#### ✓ FLEXIBLE LINKING

- Adjoining clips give flexible multi positioning configurations.
- Can be linked to form a square, a triangle or in a single line.



#### ✓ TEMPORARY SIGNAGE

- Locating holes enable courtesy or pedestrian signs to be fitted.



#### ✓ BRANDING

- One-piece mould can be made in any colour.
- Contractor branding details can be added at the front of the barrier by sticker.

### WORKGATE™ BARRIER

KBB023-000-600	3 Gated system - red		Qty 1	KBC023-000-600	4 Gated system - red		Qty 1
KBB023-000-200	3 Gated system - yellow		Qty 1	KBC023-000-200	4 Gated system - yellow		Qty 1
KBB023-000-500	3 Gated system - blue		Qty 1	KBC023-000-500	4 Gated system - blue		Qty 1
KBB023-000-400	3 Gated system - grey		Qty 1	KBC023-000-400	4 Gated system - grey		Qty 1

# WORKGATE® BARRIER FOOTWAY CLOSURE

- Single panel can be used to create a closure for two lines of other barrier systems.
- Ideal for creating a footway closure barrier system.
- Links with both Titan® and Frontier™ barriers.



**SIGN OPTIONS  
SEE PAGE 14**



**WORKGATE®**

## BARRIER FEET OPTIONS



KEV000-001-100 Workgate® Foot

Qty 1

## WORKGATE® BARRIER SYSTEM

DIMENSIONS	Weight	5kg (With feet)
	Height	1000mm
	Width	840mm
STANDARDS		EN12899-1 (reflective only)
MATERIAL	Body	Polypropylene
	Feet	Recycled PVC 



## WORKGATE™ FOOTWAY CLOSURE BARRIER

KBE023-980-600 Single gate w/ feet  Qty 1

Signs sold separately, see page 14 for details.



# MOORGATE™ BARRIER MANHOLE SYSTEM

- Tough, stable and lightweight barrier.
- Available ready assembled for immediate use or as individual panels for custom configuration.
- Ideal for siting around short duration works.






## MOORGATE™ BARRIER SYSTEM

DIMENSIONS	Weight	3kg (per gate)
	Height	1000mm
	Width	800mm
STANDARDS		N/A
MATERIAL	Body	Powder coated steel




## MOORGATE™ FOLDING BARRIER

KAF023-150-600	3 Gated - red/white		Qty 1
KAG023-150-600	4 Gated - red/white		Qty 1
KAE023-150-600	1 Gate - red/white		Qty 1
KUC000-150-000	Clip for MoorGate™		Qty 1

# CHAMPION™ BARRIER

## BEST VALUE PER METER

- Exceptional value for money over life-time use.
- Folds for efficient storage.
- Complete with galvanised nuts, bolts and washers to connect hinges for increased robustness.




**CHAMPION™**

### BARRIER FEET OPTIONS




KEB000-100-000 Champion™ barrier base Qty 1

### ACCESSORIES See page 46 for more details




LAF060-001-200 MaxiLite™ LED - amber lens Qty 10





## CHAMPION™ BARRIER SYSTEM

DIMENSIONS	Weight	17kg (2m)
	Height	1000mm
	Width	2000mm
STANDARDS		BS8442-2006 EN12899-1 (reflective only)
MATERIAL	Posts	Polyethylene
	Feet	Recycled PVC 

Champion™ – Produced in the UK for over 20 years and still going strong.



## ✓ HINGED

- Can be folded conveniently for transporting, carrying, and deploying.
- When unfolded, it can then be used for square siting around excavations or as a linear barrier along cabling or trenching sites.

## ✓ BRANDING






- Boards can be printed with company details.
- The poles and bases can also be coloured to suit.
- Ideal for advertising and theft prevention.



## ✓ OPTIONS

- Comes in a variety of lengths.
- Can be erected in either a linear or boxed format.


## CHAMPION™ FOLDING BARRIER

KAC023-200-600	4 gate - 0.75m		Qty 1
KAC033-200-600	4 gate - 1m		Qty 1
KAC043-200-600	4 gate - 1.25m		Qty 1
KAC053-200-600	4 gate - 1.5m		Qty 1
KAC073-200-600	4 gate - 2m		Qty 1

# TITAN® EXPANDER

## EXPANDABLE & ROBUST

- Lightweight, compact and flexible.
- Just 55cm wide when closed, which makes it extremely practical for transporting.
- Opens out to close off an area over 3 metres wide.



**TITAN®  
EXPANDER**

### **SUREFOOT. GUARANTEE**

We are so confident in the reliability of our barrier feet- should there be an occurrence of broken feet, we will supply replacements at **NO EXTRA COST!**

\*Subject to terms of 'Surefoot' guarantee.

## BARRIER FEET OPTIONS



KEW000-001-100 Anti-Trip foot - black Qty 1




KEW000-005-300 Anti-Trip foot - yellow Qty 1



KET000-001-100 Standard foot Qty 1







## TITAN® EXPANDER BARRIER SYSTEM

DIMENSIONS	Weight	10.5kg (with Surefoot™ feet) 11.5kg (with Anti-Trip feet)
	Height	1000mm
	Width	550mm (Closed) 3100mm (Open)
STANDARDS		N/A
MATERIAL	Body	Polypropylene
	Feet	Recycled PVC 

Titan® Expander – a combination of our injection moulding and extrusion processes.



### COMPATIBILITY




- Can link to all other JSP® barriers.
- Versatility in numerous environments.



### ADAPTABLE

- Offers the widest range of possible uses from indoor to outdoor environments, individually or as part of a larger barrier system.

## TITAN® EXPANDER BARRIER (STANDARD FEET)


KAZ110-005-400	3m Red/white		Qty 1
KAZ110-005-300	3m Yellow/black		Qty 1
KAZ110-005-700	3m Blue/white		Qty 1
KAZ110-00N-600	3m Green/white		Qty 1

## ROADBLOC™ BARRIER TRAFFIC SEPARATOR

- Made from Solathene™, offering extended UV protection to help prevent fading.
- Surpasses the demands bestowed on traffic separators by today's traffic management industry.







## ROADBLOC™ BARRIER SYSTEM

DIMENSIONS	Weight	6kg (Unfilled) 30kg (When water filled)
	Height	600mm
	Width	1140mm
STANDARDS		N/A
MATERIAL	Body	Solathene™

RoadBloc™ – The rotational moulding process allows for high impact resistance.



### ✓ LINKING

- 45° hinge connection enables both straight and angled configurations.
- Can stand firm on uneven ground.
- Create a circle/mini roundabout with just 8 units.



### ✓ STABILITY

- Easy to fill with water via hose at top of end section.



### ✓ ADDED VISIBILITY

- High intensity class R1 reflective panels can be applied to each unit.
- Reflective panels can also be added to posts for increased visibility.



### ✓ STACKING

- Designed with forklift access slots for ease of deployment.
- Supplied banded 20 per colour.



### ✓ BRANDING

- Large plated area where contractor details can be embossed in black to deter pilferage and promote contractor details.

## ROADBLOC™ BARRIER

KAV030-000-100	1m - White		Qty 1
KAV030-000-600	1m - Red		Qty 1
KAV033-000-100	1m Reflective - white		Qty 1
KAV033-000-600	1m Reflective - red		Qty 1
KAV033-001-100	1m Reflective - black		Qty 1
KEA280-254-900	Board Support post		Qty 1
KKV033-250-100	1m Reflective board		Qty 1





# PROMOTE YOUR BUSINESS REDUCE PILFERAGE







## ✓ COLOURED BARRIERS

All of the barriers that we make at JSP can be made in any colour to meet a customer/client's wishes and brand identity. The Titan® barrier can be made in more than one colour, offering many variations to suit a customer/client's needs.



## ✓ LOGO & DETAILS ON BARRIERS

All of the barriers that we make at JSP have an area where a customer/client's logo or details can be applied. There are two ways that this can be done, simply by hot-foil printing or by embossing and then over-printing, making it much harder to remove.



## ✓ BRANDING BOARDS

Some of the barriers have areas where courtesy and branding boards can be attached. Branding boards can be made with any print quality graphic with an image and/or logo and any contact details. The area is larger than that offered by the barrier itself, so can be seen from a further distance.



## ✓ COLOURED FEET

Some JSP barriers can have their feet coloured to create even more variations and further enhance a company's brand identity. They also create a deterrent to thieves.



## ✓ COLOURED ONE-PIECE CONES

One-piece cones can be coloured to match a customer's corporate identity or simply as a way to distinguish them from other cones as an anti-theft deterrent. The bases can also be embossed with a company identity.







## ✓ CONE EMBOSSING

All JSP cones have an area where a company name/logo can be embossed. On the Dominator™ the embossed colour can be painted black to further emphasise it, making it prominent from a distance and deterring pilferage.

## ✓ COLOURED BASES

Two piece cones can have bases coloured to match a corporate identity. Plus the bases can also be embossed with a company logo to distinguish them from other cones.

## ✓ SPRAYED BASES



The RoadHog™ one-piece cones can have bases with a coloured stripe made to match a customer's corporate identity or simply as a way to distinguish them from other cones as an anti-theft deterrent.

## ✓ SLEEVE PRINTING


The reflective sleeves of the cones can have a company name/logo and details printed on them, to further promote a company. This is another good anti-theft deterrent because the cones are hugely devalued without sleeves. This service is for cones created for off-road use only.

## ✓ COLOURED TWO-PIECE CONES

Two-piece cones can be coloured to match a customer's corporate identity, while the base is a separate option and can also be coloured or remain black.



# REDUCE, RE-USE, RECYCLE WITH OUR RECYCLING SERVICES



## RECONEDITIONING™ SERVICE

At JSP we have operated our ReCONEditioning™ service for 10 years. You palletise your road cones and send them to us. We will replace tops, bases, sleeves where necessary and send ReCONEditioned road cones back to you. This avoids costly landfill, is environmentally friendly and is cheaper than purchasing a new cone. It enables you to maximise the life of your road cone components and provides you an ongoing service from JSP. See page 31 for more details.

## REDUCING CARBON EMISSIONS

JSP are working with their customers to minimise carbon emissions as well as reduce costs. We are actively analysing our customers' purchasing profiles to suggest most economic delivery plans – enabling a reduction in transactions and the associated transactional costs. Where customers are purchasing daily from us, we are actively encouraging a twice weekly or once weekly service. Recycled material creates a tenth of the carbon of virgin material.

## ISO14001 ENVIRONMENT MANAGEMENT STANDARD

JSP processes in excess of 120 tonnes of recycled material per week. We work closely with recycling partners to ensure the lifecycle of materials. This enables us to reduce our carbon footprint, save costly landfill charges for contractors, and create a positive in ISO14000 management.



# REDUCED COST CONE & BARRIER RECYCLING

JSP will take back your old barriers and cones (even competitors) then recycle the plastic in order to make all new cones and barriers, Frontier® being a prime example.



# RECONEDITIONING™ & RECYCLING

ReCONeditioning™ is our unique environmentally friendly service where we can refurbish your old two-part cones into new ones. The cost is considerably less than buying new cones and this service also offers another economical solution, where costly landfill tax can be avoided and the life cycle of the product is extended. The ReCONeditioning™ logo next to a product indicates that the cone can be recycled using the ReCONeditioning™ service.

## THE RECONEDITIONING™ PROCESS IS SIMPLE:

### ✓ COLLECTION

JSP collect old bases, regardless of make. The bases must be wrapped on pallets and a minimum of three pallets is required.

### ✓ NEW TOPS AND SLEEVES

At our production facility, moulded embossed tops complete with Sealbrite™ sleeves are assembled to the old bases.

### ✓ RETURNED

When completed the cones are re-palletted, wrapped and then transported back to a specified delivery point.



We can also take your old cone tops back as part of our recycling programme.





# CONE SELECTION GUIDE

	Cone Model	Cone Height	Cone Weight	Base Dimensions	Cone Top Material	Cone Base Material	Embossing Option	Coloured Base Option	Twin Sleeve Option	Sleeve Type	Pallet Quantity
DOMINATOR™		50cm	1.9kg	25cm x 25cm	UV Stabilised Polyethylene	 Recycled PVC				Sealbrite™ Class R1B	200
		75cm	5kg	43cm x 43cm	UV Stabilised Polyethylene	 Recycled PVC				Sealbrite™ Class R1B	150
		1m	7kg	57cm x 57cm	UV Stabilised Polyethylene	 Recycled PVC				Sealbrite™ Class R1B	100
ROADHOG™		50cm	2.7kg	29cm x 29cm	 Recycled PVC	 Recycled PVC				Sealbrite™ Class R1B	200
		75cm	5kg	41cm x 41cm	 Recycled PVC	 Recycled PVC				Sealbrite™ Class R1B	125
NAVIGATOR™		75cm	4kg	43cm x 43cm	UV Stabilised Polyethylene	 Recycled PVC	-	-		Sealbrite™ Class R1B	150
SAND WEIGHTED		50cm	2kg	32cm x 30cm	UV Stabilised Polyethylene	UV Stabilised Polyethylene		-		Sealbrite™ Class R1B	400
		75cm	4.3kg	39cm x 44cm	UV Stabilised Polyethylene	UV Stabilised Polyethylene		-		Sealbrite™ Class R1B	150
		1m	6kg	55cm x 55cm	UV Stabilised Polyethylene	UV Stabilised Polyethylene		-		Sealbrite™ Class R1B	100

# DOMINATOR™ CONE QUALITY THAT LASTS

- The preferred traffic management and term maintenance two-piece moulded cone.
- Made with UV stabilised LDPE moulded top and heavy duty 100% recycled PVC base.




**DOMINATOR™**

## INTERNATIONAL VERSIONS



**NAVIGATOR™ ONLY**  
See page 35 for details





### DOMINATOR™ TRAFFIC CONE (1 METRE)

DIMENSIONS	Weight	7kg
	Height	1000mm
	Width	570mm (Base)
STANDARDS	BS873 (Standard Dominator™ only) EN13422	
MATERIAL	Top	Polyethylene
	Base	Recycled PVC 

Dominator™ – our in-house engraving system allows “in cycle” logo changes, with almost 500,000 made per year.



#### ✓ EASY HANDLING

- 360° fully recessed grip.
- Quick deployment and retrieval.



#### ✓ INCREASED STABILITY

- Increased stability over traditional PVC cones.
- Over 80% of the total cone weight is located in the base.
- Studded underside for optimum grip.



#### ✓ BESPOKE BRANDING

- Cone and base can both be branded to match a customer's corporate identity.
- Increases brand awareness.
- Anti-theft deterrent.

## BESPOKE WARNING SLEEVES



## DOMINATOR™ TWO-PIECE CONE

JBE049-240-600	50cm/20", Sealbrite™ sleeve	Qty 1
JBE049-840-600	50cm/20", twin Sealbrite™ sleeve	Qty 1
JBF069-240-600	75cm/30", Sealbrite™ sleeve	Qty 1
JBF060-840-600	75cm/30", twin Sealbrite™ sleeve	Qty 1
JBE079-240-600	1m/39", Sealbrite™ sleeve	Qty 1
JBE070-840-600	1m/39", twin Sealbrite™ sleeve	Qty 1
Call for details	75cm/30", Norwegian sleeve	Qty 1
JUB049-200-000	Sealbrite™ sleeve for 50cm cone	Qty 10
JUB069-200-000	Sealbrite™ sleeve for 75cm cone	Qty 10
JUB079-200-000	Sealbrite™ sleeve for 1m cone	Qty 10
JUB065-200-000	Yellow sleeve for 75cm cone - overhead cables	Qty 50
JUB075-200-000	Yellow sleeve for 1m cone - overhead cables	Qty 50

## NAVIGATOR® TWO-PIECE CONE

- An economical 75cm two-piece cone made to the highest standard using the latest manufacturing technologies.
- Features a 360° hand grip and Class R1B sleeve, with a twin sleeve option also available.



JBH069-240-600	75cm/30" Navigator® with Sealbrite™ sleeve	Qty 1
JBH069-840-600	75cm/30" Navigator® with Sealbrite™ twin sleeve	Qty 1
JBH060-J01-12L	75cm/30" Navigator® with 3 part orange sleeve	Qty 1

## ROADHOG™ ONE-PIECE CONE

- A 100% recycled sturdy one-piece cone, complete with Sealbrite™ reflective sleeve.
- Features a distinctive extended black base area, which can be sprayed with a colour stripe to match a company's corporate colours.



See page 27

JBG049-200-600	50cm/ 20" RoadHog™ with Sealbrite™ sleeve	Qty 1
JBG069-200-600	75cm/30" RoadHog™ with Sealbrite™ sleeve	Qty 1



# SAND WEIGHTED ONE-PIECE CONE

- A one-piece cone complete with Sealbrite™ reflective sleeve with traditional hexagonal base design.
- Sand contained in a sealed moulded base.



See page 27



JAA049-220-600	50cm/20" Sand Weighted with Sealbrite™ sleeve	Qty 1
JAA069-220-600	75cm/30" Sand Weighted with Sealbrite™ sleeve	Qty 1
JAA070-220-600	1m/39" Sand Weighted with Sealbrite™ sleeve	Qty 1

# ONE-PIECE CONE MULTI-CONE PACKS

- Cones banded in packs for easier point of sale.



See page 27



JAA049-220-615	50cm/20" with Sealbrite™ sleeve - Pk5	Qty 1
JAA069-220-615	75cm/30" with Sealbrite™ sleeve - Pk5	Qty 1

# CONE CHAIN HOLDER

- A handy sized lightweight ring with hooks that fit on to all sized cones.
- Can be used to create a simple, effective barrier solution.



JUR000-000-600	Chain holder	Qty 1
----------------	--------------	-------

## Mk5 REGULATION 'NO WAITING' CONE

- 'No Waiting' cone made with a UV stabilised HDPE top and a 100% recycled PVC base.
- The most affordable two-piece triangular 'No Waiting' cone on the market!

NEW



JBN081-140-200 Mk5 two-piece 'No Waiting' cone

Qty 1

## Mk4 REGULATION 'NO WAITING' CONE

- Mk4, two-piece 'No Waiting' cone made with a UV stabilised LDPE top and a 100% recycled PVC base.



"The addition of having AA embossed has been great, particularly at regular events where previously we had lost more than expected"

General Manager - AA Signs



See page 27



JBB081-140-200 Mk4 two-piece 'No Waiting' cone

Qty 1



## Mk2 REGULATION 'NO WAITING' CONE

- Mk2 'No Waiting' cone moulded from UV stabilised polyethylene with a sand weighted base.



JAD081-120-200 Mk2 'No Waiting' cone Qty 1

## DOMINATOR™ 'NO WAITING' CONE

- Two-part moulded cone with UV stabilised LDPE blow moulded yellow top and heavy duty 100% recycled composite base.
- Complete with 'No Waiting' sleeve.



JAB041-640-200	50cm/20" Dominator™ - 'No Waiting'	Qty 1
JUB041-600-000	Replacement sleeve only	Qty 20

## ROADHOG™ 'NO WAITING' CONE

- A 100% recycled sturdy one-piece cone featuring a distinctive extended black base area.
- Complete with 'No Waiting' sleeve.








JBG041-900-200	50cm/20" RoadHog™ - 'No Waiting'	Qty 1
JUB041-600-000	Replacement sleeve only	Qty 20

# QUAD CHAIN HOLDING CONE

- A road cone with an integral chain holder.
- Two or more cones can then be used to quickly chain off an area.
- Perfect for events or substations.







JAT070-040-600	1m Chain holding Quad cone - red		Qty 1
JAT070-040-500	1m Chain holding Quad cone - blue		Qty 1
JAT070-040-300	1m Chain holding Quad cone - green		Qty 1
JAT070-040-200	1m Chain holding Quad cone - yellow		Qty 1
HDE330-005-362	25m Chain in carry-pot		Qty 1

## SANDWEIGHTED SPORTS CONE

Sand weighted base for additional stability and curved top for supporting poles for sports purposes.



Insert the following number in place of the dash for your required cone colour:

			
2 Yellow	3 Green	5 Blue	6 Red

JCA020-020-__00	30cm/12" Sports cone	Qty 10
JCA030-020-__00	45cm/18" Sports cone	Qty 10
JCA050-020-__00	60cm/24" Sports cone	Qty 5



JCA060-020-__00	75cm/30" Sports cone	Qty 5
HEH000-200-600	Pole for hurdle cone red 91cm	Qty 1



# POST & CHAINS FENCING & DEMARCATION

## POST & CHAIN - POSTS

Posts complete with chain support cap.



HDE100-005-400	White/red post	Qty 1
HDE100-005-300	Black/yellow post	Qty 1
HDE100-005-700	Blue/white post	Qty 1

## POST AND CHAIN - BASES

Made from recycled PVC and weighs around 3kg, giving the posts a secure footing.



HDE220-001-100	Heavy duty base for post and chain - black	Qty 1
----------------	--	-------

## FLEXICHAIN SYSTEM

Moulded posts with an integral shock cord device - allows posts to revert to upright after impact. Connected with a chain to allow areas to be cordoned off.



JER060-200-624	Flexichain system 75cm post only	Qty 1
JET000-001-100	Unibase	Qty 1

## FABGLO™ HI VISIBILITY TAPE

25m x 2cm hi-visibility fabric tape.




HDJ000-200-800	Hi visibility orange - 25m	Qty 50
----------------	----------------------------	--------

## ZEBRA™ TAPE

A range of red/white Zebra™ tape in 3 lengths and black/yellow in 500m length only.



HDH000-505-400	Red/white - 50m x 7cm	Qty 20
HDH000-605-400	Red/white - 100m x 7cm	Qty 20
HDH001-005-400	Red/white - 500m x 7cm	Qty 20
HDH001-005-300	Black/yellow - 500m x 7cm	Qty 20




## POST & CHAIN - CHAINS

Can be fitted to matching coloured posts with bases, or to cones to form a multi-functional barrier system. Ideal as a crowd channeler, or to cordon off an area. Suitable for warehouses, hospitals and receptions.

HDC000-275-400	8mm Chain - 25m Pk - Red/white	Qty 4
HDC000-275-300	8mm Chain - 25m Pk - Black/yellow	Qty 4
HDC000-265-400	6mm Chain - 25m Pk - Red/white	Qty 6
HDC000-265-700	6mm Chain - 25m Pk - Blue/white	Qty 6
HDC000-265-300	6mm Chain - 25m Pk - Black/yellow	Qty 6
HDC000-262-000	6mm Chain - 25m Pk - Green	Qty 6

## FENCE SUPPORT & BASE

Support designed to accommodate web fencing.



HDK100-000-100	White fence support upright	Qty 1
JEP000-000-800	Orange sand weighted base	Qty 1

## RED & WHITE REFLECTIVE STRIP

2m and 3.5m reflective strip for security fencing. Fitting straps are included.



HFB001-300-100	2m red/white reflective strip	Qty 5
HFB001-800-100	3.5m red/white reflective strip	Qty 5

## CAUTION BUNTING

26m of red/white pendant bunting on a bright orange cord.



HDM000-305-400	Caution bunting - 26m	Qty 50
----------------	-----------------------	--------

# PORTACONE™ TRAFFIC CONE SIGNS

- Made from coloured Solathene™ - much lighter than traditional metal signs.
- Increased number can then be carried on vehicles.
- Recessed outer rim protecting reflective face.



**PORTACONE™**



## ✓ RECYCLABLE

- Black signs are made from 100% re-processed LDPE.
- Coloured bespoke versions use virgin LDPE.

## ✓ SECURE

- Tough webbing straps riveted to rear of sign, providing good grip to cone.

## ✓ BRANDING

- Coloured frames can be chosen to represent a corporate image.
- Company names can be embossed in black.

HCA010-301-100	PortaCone™ sign - Roadworks		Qty 5
HCA020-301-100	PortaCone™ sign - Road narrows left		Qty 5
HCA030-301-100	PortaCone™ sign - Road narrows right		Qty 5
HCA100-201-100	PortaCone™ sign - Footway closed		Qty 5

HCA060-301-100	PortaCone™ sign - Reversible arrow		Qty 5
HCA040-301-100	PortaCone™ sign - Arrow left		Qty 5
HCA050-301-100	PortaCone™ sign - Arrow right		Qty 5
HCA070-201-100	PortaCone™ sign - Pedestrians left		Qty 5
HCA080-201-100	PortaCone™ sign - Pedestrians right		Qty 5



# GLOPOST TRAFFIC POST

- Blow moulded from low density Solathene™.
- Twist-lock designed base to suit either permanent metal cats eye sockets or temporary base.



JES030-200-600	45cm Glopост – Des 2 sleeve	Qty 10
JES069-200-600	75cm Glopост – Sealbrite™ sleeve	Qty 10
JES079-200-600	1m Glopост – Sealbrite™ sleeve	Qty 10

## UNIBASE™

- Designed to accept 'Glo Posts', springback and other manufacturers cylinders.
- Manufactured from 100% recycled PVC.



JET000-001-100	Unibase™	Qty 1
JUP000-000-000	Glue mat	Qty 150

# SPRINGBACK TRAFFIC POST

- Rotationally moulded post made from low density Solathene™.
- Posts revert to upright position after impact.
- Comes complete with screw fit two-part base connector and high tensile 'shock cords' to fit Unibase™.





JER069-200-600	75cm Springback cylinder – Sealbrite™ sleeve	Qty 20
----------------	--	--------

## UNIBASE™ BOLTS

- A choice of bolt depending on ground surface application.



HAH000-000-000	Pair of concrete application fixings	 Qty 1
HAJ000-000-000	Pair of asphalt application fixings	 Qty 1

# JUMBO™ SPEED RAMPS

- An exceptionally tough speed ramp made from 100% recycled material.
- Available in two heights - 5cm and 7.5cm for 10mph and 4mph zones respectively.



## RAMP OPTIONS

### 5cm HIGH RAMPS

Aimed to reduce speed to a maximum of 10mph - ideal for reception car parks, schools, hospitals etc.




5cm High

### 7.5cm HIGH RAMPS

Aimed to reduce speed to a maximum of 4mph - ideal for dock-yards, loading bays, bus depots etc.



7.5cm High



**ALTERNATIVE COLOURS  
ALSO AVAILABLE**

CALL FOR DETAILS





#### ✓ INTERLOCKING

- Each section has an integral interlocking facility for ease of siting and installation.




#### ✓ HOSE/CABLES CHANNEL

- 4cm x 2cm channel on the underside allows for hose/cables to be located underneath.



#### ✓ BRANDING AREA









- 12cm x 6cm area allowing for a client's name to be embossed.



#### ✓ REFLECTORS

- Each inner section has incorporated white reflectors for extra visibility.

### 10MPH & 4MPH RAMPS / BOLTS

HAL010-125-300	10mph Pair of speed bumps	H-5cm, L-50cm, W-40cm Et 8.2kg		Qty 1
HAM000-820-200	10mph Yellow end caps (pair)	H-5cm, L-50cm, W-20cm Et 4.5kg		Qty 1
HAM000-821-100	10mph Black end caps (pair)	H-5cm, L-50cm, W-20cm Et 4.5kg		Qty 1
HAL010-135-300	4mph Pair of speed bumps	H-7.5cm, L-50cm, W-40cm Et 16kg		Qty 1
HAM000-830-200	4mph Yellow end caps (pair)	H-7.5cm, L-50cm, W-20cm Et 9kg		Qty 1
HAM000-831-100	4mph Black end caps (pair)	H-7.5cm, L-50cm, W-20cm Et 9kg		Qty 1
HAH000-000-000	Pair of concrete application fixings			Qty 1
HAJ000-000-000	Pair of asphalt application fixings			Qty 1



# VERGE POSTS

## FLEXIBLE VERGE POST WYCHWOOD™

- Moulded spring back post with large reflective area conforming to EN12899-1 class R2.
- Dimensions: H-130cm x W-14cm. Weight: 1.2kg.
- Bespoke label and multi-language options available.

HEV040-106-500	Wychwood™ Verge post	Qty 10
HEV040-126-500	Wychwood™ Verge post - overhead cables	Qty 10
HEV040-125-301	Wychwood™ Verge post - underground cables	Qty 10



## VERGE POST CHURCHILL™

- Sturdy moulded cylindrical design with a reflective area conforming to EN12899-1 class R2.
- Multi-purpose usage ranging from highway verges to hard standing area.
- Dimensions: H-131cm x W-12.5cm. Weight: 1.4kg.

HEV060-106-500	Churchill™ Verge post	Qty 10
----------------	-----------------------	--------



## VERGE POST KINGHAM™

- Toughened polyethylene design with large reflective area conforming to EN12899-1 class R2.
- Multi-purpose posts which can be used on verges or be set into hard standing for car parks.
- Dimensions: H-120cm x W-15cm. Weight: 2.1kg.

HEV050-106-500	Kingham™ Verge post	Qty 10
----------------	---------------------	--------





# TRAFFIC LAMPS & WARNING TRIANGLE

## MAXILITE™ LED

- Twin battery lamp with swivel-head giving 360° visibility, and 180mm diameter lens.
- Dual function photocell operation offers static or flashing modes.
- Security bolt design enables attachment to cones and barriers.



LAF060-001-200	MaxiLite™ LED - Amber lens	Qty 10
LAF060-000-600	MaxiLite™ LED - Red lens	Qty 10
LAF060-201-200	MaxiLite™ LED - Amber lens c/w scaffold bracket	Qty 10

## FLASHING MICROLITE™

- 360° degree lens for all round light visibility.
- Impact resistant lens moulded from premium quality polycarbonate.
- Two mode options - flashing with and without photocell.



LEM010-001-200	MicroLite™ - Flashing	Qty 50
LEM020-001-200	MicroLite™ - Flashing photocell	Qty 50

## WARNING TRIANGLE

- Alerts oncoming traffic that you are stopped on the road, in order to prevent accidents.
- Can be used when you need to park on the side of the road in emergency cases, such as vehicle breakdowns.



OL WARN TRIANGLE	Warning triangle	Qty 20
------------------	------------------	--------

# HEAVY DUTY GRIT BIN



## IDEAL FOR LARGE WORK SITES





- The maximum capacity of the standard sized grit bin is 250kg – 10 x 25kg bags of salt.
- The maximum capacity of the large sized grit bin is 450kg – 18 x 25kg bags of salt.



AVAILABLE IN 250KG & 450KG CAPACITY



HPK470-000-200	250kg - All yellow		Qty 1
HPK470-005-300	250kg - Black container/yellow lid		Qty 1
HPK470-001-100	250kg - All black		Qty 1
HPK470-090-200	250kg - Yellow c/w hasp & staple		Qty 1

HPK480-000-200	450kg - All yellow		Qty 1
HPK480-005-300	450kg - Black container/yellow lid		Qty 1
HPK480-001-100	450kg - All black		Qty 1
HPK480-090-200	450kg - Yellow c/w hasp & staple		Qty 1



### ✓ STACKABLE

- Fit inside of each other, making them completely stackable for convenient storage.



### ✓ FINGER GRIPS

- Moulded finger grips to assist lifting of lid.



### ✓ FORK LIFT ACCESS POINTS

- Access points make the grit bin convenient for lifting with a fork lift truck. Available with heavy duty grit bin only.






# RETAIL SIZED GRIT BIN

## IDEAL FOR SHOPS AND OFFICES

- The retail size grit bin is 50cm wide, 49cm high, and 46cm deep.
- The maximum capacity of the retail sized grit bin is 50kg - 2 x 25kg bags of salt.



HPK490-000-200	50kg - All yellow		Qty 1
HPK490-001-100	50kg - All black		Qty 1
HPK490-005-300	50kg - Black container/yellow lid		Qty 1

HPK490-00R-700	50kg - All green		Qty 1
HPK490-00S-300	50kg - Granite		Qty 1
HPK490-00S-400	50kg - Sandstone		Qty 1



### ✓ COLOURS

- Various colour combinations are available.
- Another way to personalise the bin.



### ✓ BRANDING

- Large plated area where contractor details can be embossed in black to deter pilferage and promote contractor details.



### ✓ OPTIONAL HASP AND STAPLE

- A hasp and staple can be fitted at extra cost if a lockable grit bin is required.

# COLUMN PROTECTORS

## ADAPTABLE & ROBUST

- Comes in 10cm and 20cm apertures to suit different size columns.
- Red webbing straps allow 20cm aperture style to encase larger girders.



### REFLECTIVE

- 7cm x 25cm reflective patches for added visibility in low light conditions.


### SECURITY





- Units incorporate interlocking connectors giving added security when assembled.

### RECYCLED

- Black units are made from 100% recycled PE.

## OPTIONS FOR SIZE OF APERTURE



HMD010-004-900	Column Protector 10cm <sup>2</sup> - black		Qty 1
HMD010-00M-300	Column Protector 10cm <sup>2</sup> - yellow		Qty 1
HMD020-004-900	Column Protector 20cm <sup>2</sup> - black		Qty 1
HMD020-00M-300	Column Protector 20cm <sup>2</sup> - yellow		Qty 1



# MAINTENANCE & SCAFFOLDING ACCESSORIES

## A-FRAME SIGNS

Yellow A-frame signs, plain or printed with 'caution wet floor'.



HBD000-500-200	A-Frame sign yellow - plain	Qty 10
HBD110-500-200	A-Frame sign yellow - 'Caution Wet Floor'	Qty 10

## WARNING CONES

50cm PVC caution cones to mark hazardous areas.



JAR043-400-218	50cm Floor 'Cleaning in Progress' cone	Qty 10
JAR044-000-218	50cm 'Slippery Surface' cone	Qty 10

## TRIANGULAR TWO-PIECE CONES

Two part cone made with a UV stabilised LDPE top and a 100% recycled PVC base.



JBD080-040-23J	Triangular two-piece cone - plain	Qty 10
JBD081-340-200	Triangular two-piece cone - 'Caution Wet Floor'	Qty 10

## 35 COLLECTOR CONE

The original four-sided cone with printed 'caution wet floor' message.



JCP121-200-200	35 collector cone yellow - 'Wet Floor'	Qty 5
----------------	--	-------

## SCAFFOLDING GRIPPA PAD

Designed to evenly distribute the weight of scaffolding and protect vulnerable surfaces from damage. Bespoke colours and logoing available.



HMA000-000-200	Scaffolding grippa pad - yellow	Qty 50
----------------	---------------------------------	--------

## SCAFFOLDING JOINT PROTECTORS

Can be used singularly or in pairs to completely encapsulate scaffolding joints. Bespoke colours available.



HMB000-000-200	Scaffolding joint protector - yellow	Qty 50
----------------	--------------------------------------	--------