



MORE THAN 20 YEARS OF EXPERTISE IN LIGHTING SOLUTIONS

When the two brothers Harald and Rainer Opolka from Solingen started out, they really didn't have much more than a garage, an old Atari computer, a set of tools, a drawing pad and around 1000 Deutschmarks of seed capital. Today, the former garage company of both the Ledlenser founders is an internationally operating company and one of the global market leaders in portable lights. The German Ledlenser brand conquered the flashlight market in the year 2000. The approach of equipping a flashlight with an LED instead of a bulb as a light source was absolutely visionary at that point in time. Millions of the "V8 Photon Pump" were sold worldwide and it constituted a new era of portable light – the "P7" achieved the same thing several years later.

To meet our objective as an LED pioneer, we are still using this technological advantage today in the development of new products – particularly in times during which LED lighting has become the norm in so many places and genuine quality is becoming harder and harder to recognize. At the same time, our premise "German Engineering & Design" has guided us from day one and justifies our unique commitment to quality. Ledlenser products give users worldwide the freedom of doing their jobs to the best of their ability or pursuing their passion with devotion – with the best possible light on their side.



20 YEARS OF LEDLENSER

- **ABOUT US**
 - MILESTONES QUALITY

 - WARRANTY
 - ISO CERTIFICATION

TECHNOLOGY LIGHT FUNCTIONS IP PROTECTION CLASSES RECOMMENDED USAGE



22 INNOVATION

- 24 THE NEW P-SERIES AND THE NEW H-SERIES
- CORE WORK SIGNATURE the revolutionary concept
- NEW P-SERIES OVERVIEW
- 34 NEW H-SERIES OVERVIEW
- 40 PORTABLE ENERGY
- 43 FLEX7
- FLEX3, FLEX7
- BATTERYBOX7
- LITE WALLET
- 48 LITE WALLET

50 HOME & LIFE

FLASHLIGHTS

- P2R Core NEW
- P4R Core NEW
- 55 P5R Core NEW
- 55 P7 Core NEW
- P6R Core NEW
- 57 P7R Core NEW
- 57 P17R Core NEW
- P6R Core QC NEW
- **ACCESSORIES**
- P-Series Core NEW
- 64
- 64 K2
- 65 K3 65 K4R
- 66 P2
- 67 P3
- 67 P4 67 P5
- X21R 68
- 70 FLASHLIGHT ACCESSORIES

H5 Core NEW

H5R Core NEW

HEADLAMPS

- H7R Core NEW
- H15R Core NEW
- H19R Core NEW 77
- ACCESSORIES
- H-Series Core NEW



DLENS DLENS

- 80 H4
- H4R

H3.2

- 82 SE03 82 SE05
- SE07R
- 84 HEADLAMP ACCESSORIES



FLASHLIGHTS

86 WORK & PROFESSIONAL

- 90 P2R Work NEW
- 90 P4R Work NEW
- 91 P5R Work NEW
- 92 P6R Work NEW
- 92 P7R Work NEW
- 93 P18R Work NEW
- 94 ACCESSORIES

 - P-Series Work NEW



- 98 i4
- 98 iL4
- 99 iL7 99 iL7R
- 100 FLASHLIGHT ACCESSORIES



HEADLAMPS

- 107 H5R Work NEW
- 107 H7R Work NEW
- 107 H15R Work NEW
- 108 ACCESSORIES
- H-Series Work NEW



- 110 iLH8 110 iLH8R
- 112 iH5
- 112 iH5R
- 114 iH9R
- 114 iH11R
- 116 HEADLAMP ACCESSORIES



WORKLIGHTS

- 121 iW2R
- 121 iW2R laser
- 121 iW3R
- 124 iW4R
- 124 iW5R flex
- 125 iW5R
- 125 iW7R



- 129 iF3R 133 iF4R
- 133 iF4R music NEW
- 133 iF8R



INTRINSICALLY SAFE LAMPS

- 140 EX4
- 140 EX7
- 141 EX7R
- 141 EXH8
- 141 EXH8R
- 142 INTRINSICALLY SAFE LAMPS ACCESSORIES



FLASHLIGHTS

- 148 P6R Signature NEW
- 148 P7R Signature NEW

P-Series Signature NEW

144 OUTDOOR & SPORTS

- 149 P18R Signature NEW
- 150 ACCESSORIES
- 154 D14.2



HEADLAMPS

- 160 H7R Signature NEW
- 160 H19R Signature NEW
- 162 ACCESSORIES
 - H-Series Signature NEW



- 167 MH5 UPDATE 169 MH7 UPDATE
- 169 MH8 UPDATE
- 169 MH11 UPDATE
- 172 NEO4
- 172 NE06R 173 NE010R
- 174 HEADLAMP ACCESSORIES



LANTERNS

- 180 ML4
- 180 ML4 Warm Light NEW
- 181 ML6
- 181 ML6 Warm Light
- 181 ML6 Connect WL NEW
- 182 LANTERN ACCESSORIES



SERVICE

183 INFORMATION

184 CONTACT



THIS BUTTON ALLOWS YOU TO QUICKLY JUMP FROM EVERY PAGE **BACK TO THE TABLE OF CONTENTS** ABOUT US







LEDLENSER THE COMPANY

IT TAKES EIGHT MINUTES FOR THE LIGHT OF THE SUN TO REACH THE EARTH – OURS ONLY TAKES THE PUSH OF A BUTTON

The sun and Ledlenser have something in common: We create light for the whole world! We are devoted to this task with all our energy and capability. The quality products made by Ledlenser prolong daylight and therefore, enable being active when dusk sets in or even during total darkness. They bring light into the darkest corners and in doing so, enable precise and professional work at any time.

KEYPOINTS

- One of the global market leaders in portable lights. That includes: Flashlights, headlamps, work lights, floodlights, lanterns, EX-protected lamps
- > "German Engineering & Design": In-house development, production and quality assurance
- > Inventor of the trendsetting and patented³ Advanced Focus System
- > 7-year warranty⁴ for most products in connection with online registration
- More than 100 industrial property rights as well as more than 200 awards and prizes for our products
- > More than 500 employees worldwide
- > Own locations in Germany, China, USA, Japan, Italy and Switzerland
- > Worldwide collaboration with more than 45 master distributors

1-7 Information on page 184

OUR PRODUCTION PLANT IN CHINA

To ensure that our bright ideas see the light of day, we clearly divided up our tasks: "Engineered in Germany, produced in China". Our production expertise is concentrated at our location in Yangjiang, Guangdong. Every product is manufactured and tested here; from the prototype to mass production.

The checklist for quality control includes 24 tests: Endurance, extreme temperatures, water, salt, blows, pressure and more - inspected and tested until the products have overcome all obstacles and meet our quality standards. Furthermore, it is important to us to take responsibility for our employees in China. We do this for example by building company housing and through our involvement in social and intercultural projects.









LEDLENSER MILESTONES

2000

LED key ring flashlight

Photonpump V8 is put on
the market and sold a
million times over



2005

Development of the patented³ **Advanced Focus System**



2011



Ledlenser is included in the **Guinness World Records** with the construction of the world's largest flashlight

2018

With the **new EX products**, Ledlenser launches its first focusable EX-protected flashlights



2020



Ledlenser expands into the "portable energy" sector - **Powerbanks and battery boxes** are the first products in this category



Lite Wallet – the first wallet with 150 lumens¹ is introduced



1993

Company founded by Harald and Rainer Opolka



Opening of the company's own **production facility** in Yangjiang, China



2008

Launch of the legendary P7 – still a bestseller today



Bluetooth

2019

Floodlights and Worklights expand the portfolio for trade and industry

Our first lamps controlled via Bluetooth® conquer the market



Light revolution – launch of the new P-series and H-series in the three versions CORE-WORK-SIGNATURE

¹⁻⁷ Information on page 184

8

LEDLENSER QUALITY GUARANTEED







Management System ISO 9001:2015 ISO 14001:2015 ISO 50001:2018

www.tuv.com ID 9108640713

QUALITY

"German Engineering & Design" - this statement stands for the highest development and production standards in regard to technology, design, materials and workmanship. We hold more than 100 industrial property rights. These include patents, utility models and designs. We are proud of having received various design awards for our products.

WARRANTY

Since we are confident in the quality of our lights, we grant a seven-year warranty on nearly all products in connection with online registration. All original Ledlenser products covered by our warranty include a product registration card. To register, simply scan the QR code with a smartphone or enter the indicated URL on your laptop or PC.

ISO CERTIFICATION

We meet the requirements of the ISO 9001, ISO 14001 and ISO 50001 standards and are certified by $T\ddot{U}V$ Rheinland.

Quality management: DIN EN ISO 9001:2015

Our systematic quality management ensures a consistently high quality of our products and services. Clearly defined and comprehensible processes enable us to meet our customers' expectations consistently and professionally. We also meet the standard requirements at our Chinese location.

Environmental management: DIN EN ISO 14001:2015

Our company has defined an internal environmental policy and precise environmental objectives. Here, the focus is on the establishment and realization of an environmental management system, to ensure continuous improvements – e.g. in regard to CO₂ emissions, the use of resources and other environmental factors.

Energy management: DIN EN ISO 50001:2018

We operate energy management geared towards sustainability. This includes measures to reduce the consumption of energy such as electricity, gas and fuel as well as specific risk prevention.



— TECHNOLOGY



LEDLENSER TECHNOLOGY-ABC

From innovative lenses and advanced light functions to future-oriented power supplies - we work tirelessly to improve our technology to further expand our lead. Here are some examples:

INNOVATION



MULTI-CORE OPTICS

Multi-Core Optics harness and direct the light emitted from extremely powerful, next-generation LEDs. The special faceted lens tames and directs the light, resulting in a homogeneous beam and aesthetic illumination.



FLEX SEALING TECHNOLOGY

The innovative Flex Sealing Technology ensures that the electronic parts of the lamp head are completely sealed off, to protect against the penetration of water and dust. This flexible system maintains the seal, even when the Advanced Focus System is used. The focus can even be used underwater.





FUSION BEAM


By combining different LEDs and lenses, lamps with Fusion Beam have a unique, application-optimized illumination. This simultaneously enables a homogenous close-up wide flood beam and sharply focused long-distance beam. The intensity of the flood and spot beams can be individually adjusted thanks to independent controls for each light source.





ADVANCED FOCUS SYSTEM (AFS)

Galileo swore by the power of lenses; Newton by the power of reflectors. We have simply combined the two technologies – only better than anyone before. The result: our patented Advanced Focus System (AFS), which allows a seamless transition from homogeneous low beam to sharply focused high beam.






COOLING TECHNOLOGY

Cooling Technology (CT) ensures your head stays cool even when your lamp is at maximum power. Our CT products reduce LED heat to the optimal level by means of the intelligent use of cooling elements. This technology is also used to cool computer chips and ensures highly efficient use of energy, increased illuminating power, and especially long-lasting LEDs.



DUAL POWER SOURCE

Our Dual Power Source allows you to use the full performance of your Ledlenser at any time – no matter what power source you have available. Because this technology recognises the power source. You can therefore choose between the rechargeable Ledlenser battery or a disposable battery. Extremely practical for long trips without a power point.





EMERGENCY LIGHT

This feature turns your flashlight into an emergency light: If the power goes out while your Ledlenser is on the charging base, it will automatically turn on. So the light helps you find your way around, e.g. to the breaker panel.





FLOATING CHARGE SYSTEM


Grab-and-go wireless charging. The Floating Charge System is a wall-mounted magnetic charging system, making the light ready to go with a simple flick of the wrist. It also offers USB charging with an adapter system that can be plugged into standard outlets or car lighters.





MAGNETIC CHARGE SYSTEM

With the Magnetic Charge System, the charging cable can be quickly and easily attached to the lamp. The connection for charging the battery is made via magnetic contacts. When the contacts approach, the charging cable automatically pairs with the lamp. The connection is automatically released under load.



¹⁻⁷ Information on page 184



MICRO PRISM TECHNOLOGY

Our innovative lens technology features an optical microstructure, which provides both glare-free light distribution and high efficiency at the same time. It ensures a downward beam that is up to three times stronger than conventional scattered light lenses and therefore provides optimal light distribution in the room, regardless of whether the light sits on a table or hangs from the ceiling. It creates a brighter view, whether used indoors or outdoors.





NATURAL LIGHT

In some situations, not all light is the same. Ledlenser therefore not only supplies extremely bright, but also extremely natural light: Natural Light produces light with a color rendering index (CRI) over 90. This ensures true color rendering, even in the deep red color range.



CRI 90 4000 K

CRI 65, 6500



OPTISENSE TECHNOLOGY

Whether it's dusk, dim or pitch black, Optisense Technology allows your Ledlenser to automatically adapt to the surrounding light conditions. The innovative dimmer controls luminosity based on the reflection of its own light and prevents glare.





POWERBANK


Even in the most remote corners of the world, you'll never again have to worry about any device's battery running out. Some Ledlenser Lights have a Powerbank function so they can easily be used as charging stations to recharge any device quickly via a USB connection.





RAPID FOCUS

When focusing or defocusing the flashlight or headlamp, the reflector lens moves in relation to the LED. To ensure this process is as quick and ergonomic as possible we developed Rapid Focus: a single-hand mechanism that allows the light beam to be adjusted as fast as lightning.





SAFETY YTRION CELL


A Safety Ytrion Cell is significantly lighter than a nickel-metal hydride battery and charges up to five times faster than a lithium-ion battery. At the same time, it offers more than 5000 charging cycles with almost zero loss of capacity "Memory Effect".





SMART LIGHT TECHNOLOGY (SLT)

This innovation turns a Ledlenser into your personal lighting tool: A micro-controller allows individual ranges of functions to be programmed to different touch and switch combinations. That way, you always have the perfect light mode at hand.





TEMPERATURE CONTROL


Our lights stay cool, even when they work hard. Thanks to the intelligent and fully automated temperature control, a Ledlenser never gets too hot, no matter how much it's used. This protects you from burns and the LED from overheating.





WIDE BEAM

Our wide beam format takes into account that the human field of vision is around 180° degrees horizontally and only around 130° degrees vertically. The oval shape of the light and the Wide Beam technology makes things twice as safe: not only allowing you to see more, but also to be seen from every angle.





X-LENS TECHNOLOGY

This technology is an enhancement of the Advanced Focus System (AFS). It can merge virtually any number of reflector lenses and synchronizes their individual light beams into a perfect beam, resulting in a high-grade, homogeneous floodlight in unfocused mode and our most sharply focused high beam to date.





¹⁻⁷ Information on page 184

LEDLENSER LIGHT FUNCTIONS



BOOST

A temporary burst of light




POWER

A bright light for any situation



STROBE

Quick flashes of light with an irritating blinding effect for emergency situations



Sufficient light output for extended battery life



BLINK

Automatically emits light pulses at regular intervals



LOW POWER

Economical light for long battery life, glare-free reading and working



POSITION

Regular light pulses at long intervals for position marking



PULSE

The light intensity keeps rising and decreasing evenly




S.0.S.

The light emits an SOS distress signal in morse code (3 x short, 3 x long, 3 x short)

CONSTANT LIGHT

Constant light means the lamp will maintain a more consistent level of brightness. The lamp will not gradually dim as the battery power decreases. As the battery power is diminished, the lamp emits a periodic warning signal. Before shutting down completely, the lamp provides about one hour of residual light in the backup mode.



IP RATINGS

IP ratings define the protection of the products against the penetration of foreign particles (mainly dust, dirt) and water. Basically, the following applies: The higher the value, the higher the protection rating. However, there is one caveat: Up to the protection rating IPX6, the lower ratings are automatically included when the protection against the ingress of water is indicated. However, both higher ratings (IPX7 and IPX8) refer to another type of water ingress (submersion under water). That is why the products of our iL and EX series for example comply with the protection ratings IP66 and IP68. That means they are protected against powerful water jets as well as continuous submersion.

We assess the protection ratings of our products in accordance with the internationally recognized DIN EN 60529 standard

IP TYPE ACCORDING TO EN 60529

IP56

- . Part: Protection against the ingress of foreign particles
- 2. Part: Protection against the ingress of water

1. PART

PROTECTION AGAINST THE INGRESS OF FOREIGN PARTICLES

- X Not tested
- No protection against the ingress of foreign particles
- Protection against ingress of solid foreign particles with a diameter > 50mm
- Protection against ingress of solid foreign particles with a diameter >12,5mm
- Protection against ingress of solid foreign particles with a diameter > 2,5mm
- Protection against ingress of solid foreign particles with a diameter > 1mm
- Protection against harmful dust deposits at the inside
- 6 Protection against ingress of dust (dust-tight)

2. PART

PROTECTION AGAINST THE INGRESS OF WATER

- X Not tested
- No protection against the ingress of water
- 1 Protection against vertically dripping water
- Protection against dripping water falling at an angle (with 15 ° incline)
- Protection against splashing water (inclined up to 60°)
- Protection against splashing water (from all directions)
- 5 Protection against water jets (from all directions)
- 6 Protection against strong water jets
- Protection against submersoin in water up to 1 meter deep for up to 30 minutes
- 8 Protection against submersion in water up to a



LEDLENSER RECOMMENDED APPLICATION

You can find the perfect light for a multitude of applications in our product portfolio. Whether for professional and industrial use, everyday use or for sports and recreational purposes – we supply the customized lighting.

At the same time, our recommendations (symbolized using icons) are intended as a general orientation guide and not as a limitation to these areas of application. For example, our legendary P-series has been popular for years in nearly all imaginable fields of use, far beyond our recommended applications.



HOME & LIFE



HOME



DIY



DOG WALK




EVERYNIGHT



TRAVEL



PHOTOGRAPHY





INNOVATION
LIGHT REVOLUTION THE NEW P-SERIES AND THE NEW H-SERIES








CORE-WORK-SIGNATURE

The revolutionary concept of the new P-series and H-series.

For many years, people in need of the perfect flashlight for a multitude of applications have trusted our legendary **P-series**. If they needed to combine free hands with perfect illumination, they trusted our **H-series**.

This latest version of our most important product lines is far more than a revision: it is a **revolution in lighting**. With trendsetting new features and technologies, significantly more power and the new **Core – Work – Signature** concept, we are transporting our portfolio into the future and opening it up to many new user groups.



The lights and lamps in the **Core line** form the heart of the new P-series and H-series. They follow the great legacy of the famous P- and H-series and in doing so, combine a proven and tested history with new technology. Core lights are ideally suitable for a **wide range of applications for everyday or on-the-job use** and are distinguished by an excellent price-performance ratio.

The Work line lights and lamps are specifically developed for routine applications in challenging work environments. Built on a Core line foundation with additional work-enhancing features, – e.g. increased protection against blows, drops and chemicals, optimized light with natural color reproduction as well as a wide range of helpful accessories included.

Our Signature models represent the premium line of the new P-series and H-series. These high-end lights and lamps combine all functions of the Core models with increased power and a larger range of features as well as a classy design, enhanced materials and a wide range of accessories included.











- excellent light quality and workmanship
- strong protection against water and dust
- ▶ robust & durable
- natural color reproduction
- specific accessories included



Loyal lights for every day

- extensive package of features and functions
- excellent light quality and workmanship
- strong protection against water and dust
- convincing priceperformance ratio



The perfect light for the highest demands

- extensive package of features and functions
- excellent light quality and workmanship
- strong protection against water and dust
- use of premium materials
- natural color reproduction
- specific accessories included

FIELDS OF USE

Industry and craftsman, various professional groups







FIELDS OF USE

Recreation, job and everyday life








FIELDS OF USE

Outdoor, sport, photography and lifestyle











CORE-WORK-SIGNATURE

Ledlenser Connecting System

Thanks to the **modular design** of this product series, it has never been easier to take advantage of our **extensive range of accessories**. Our new **Ledlenser Connecting System** creates a **universal interface**, which ensures that the respective accessory can be combined with a multitude of flashlights and headlamps. This enables an even more versatile uses and an **expansion of the application options** of our lamps.

More functions & technologies than ever before

Never before have so many features, functions and details been combined into a new product series. That includes a number of new developments, e.g. our patent pending Flex Sealing Technology for maximum protection against dust and water while maintaining focus ability or constant, flicker-free light, which maintains a high degree of brightness over time.



We also revised some of our, existing technologies such as the Magnetic Charge System for easy, reliable and fast charging and conceived new ones such as the Smart Light Technology for complete, individual programmability of the light functions.




Technologies that have existed since the first P-series and H-series, such as our patented³ **Advanced Focus System**, are still used and leave no doubt that the new series are genuine Ledlenser products.



And the most important thing: every user will find the perfect light for their purpose among the models of the new P-Series and H-Series.








THE NEW P-SERIES

A P FROM LEDLENSER IS ALWAYS A STATEMENT

The robust and reliable flashlights of the new P-series offer an impressive package of features in a stylish design.

Furthermore, the P-series is the first modularly designed Ledlenser flashlight series. In the Core, Work and Signature versions, each of the lights are customized for different target groups from everyday users to professionals in trade and industry to outdoor enthusiasts.

P7R CORE THE BASE MODEL









- 01 Multi-Core Optics homogeneous beam made possible by special faceting of the lens
- 02 Advanced Focus System stepless focusing
- 03 Extreme dust and water protection (IP68)
- 04 Flex Sealing Technology can be used for a short time underwater (including the focusing system) to a depth of one
- **05** Personalize the light functions thanks to **Smart Light Technology**
- 06 Constant Light consistent level of brightness over time
- 07 Flicker-free flicker-free, constant light enables optimal and safe illumination of fast-moving parts and machines
- 08 Convenient and safe charging of the battery thanks to the **Magnetic Charge System**
- 09 Integrated battery and charge status display

Contents: 1 battery pack, lanyard, magnetic charging cable


P7R WORK

THE ROBUST MODEL

-**☆** 1200 lm¹ $240 \, \mathrm{m}^2$







The P7R Work has all characteristics of the P7R Core with additional features and accessories for professional use

- 10 Protective elements on the lamp head and the end cap absorb impacts and increase slip resistance; the additional front lens cover protects the lens from scratching
- 11 Neutral white light with natural Color rendering (CRI 90)
- 12 Secondary white light on the side of the housing for diffuse Illumination at close range
- 13 Robust charging station suitable for installation in a vehicle and compatible with the 5 station charging panel

Contents: 1 battery set, charging station, belt pouch, adjustable lanyard, intelligent clip, magnetic charging cable, USB power adapter

P7R SIGNATURE

☆ 2000 lm]







- 14 Mode Switch for direct access to personalized Light functions thanks to Smart Light Technology
- 15 Secondary red light on the side of the housing, e.g. to maintain night vision in the dark
- 16 Hard anodized housing for additional protection against wear and corrosion
- 17 Natural color rendering (CRI 80)
- 18 Practical pocket clip also serves as roll protection


Contents: 1 battery set, leather belt pouch, adjustable lanyard, magnetic charging cable, pocket clip, USB power adapter, wall mount



THE NEW P-SERIES











P5R CORE

500 lm¹ 70





249,00€



6500 K







59,90€

Drop height

P6R SIGNATURE

2 m



available from October 1st, 2020

1-7 Information on page 184

129,00€

Drop height 2 m

159,00€

6500 K

CRI Color temp. Drop heigh 80 6500 K 2 m



ICONS OF LIGHT



4500 lm¹ 70 5000 K

THE NEW P-SERIES

LEDLENSER

CONNECTING SYSTEM

As a newly created interface, the Ledlenser Connecting System makes it easy, to connect the flashlights of the new P-series and their accessories with a simple click. It allows our lamps to transform into a variety of uses. Simply clip the lamp adapter to the shaft of the light, attach the suitable accessory, and you're ready to go.

And, above all: The Ledlenser Connecting System works across the new P-series and even the headlamps in the new H-series. One accessory can be used with different kinds of products for convenience and cost savings.



Belt clip for lights and battery packs - the


lamp can be rotated 360 ° and thus becomes a flexible, hands-free. **6,90 € (MSRP)**

Belt Clip Type A

Light Adapter

Mounting adapter - the Ledlenser connecting system 4,90 € (MSRP)





Light Adapters are available in these sizes:

P2R Core/Work, P4R Core/Work: **Light Adapter Type A Item no. 502248**

P5R Core


Light Adapter Type B Item no. 502249


P6R Core/Signature: Light Adapter Type C Item no. 502250

P7R Core/Signature: Light Adapter Type D Item no. 502251

Note: The **P5R Work, P6R Work** and **P7R Work**, already include a light adapter.











THE NEW H-SERIES

THE NEW H-SERIES - A CROWNING ACHIEVEMENT

As trusted providers of light for countless uses, our H-series headlamps are indispensable at home, at work or in the wilderness.

Intuitive operation, robust design, and fantastic illumination are the trademarks of this series – in addition to numerous features and technologies. The best light for nearly every application when hands must remain free can be found in the Core, Work and Signature series whether for sports, recreational or occupational purposes.

H7R CORE THE BASE MODEL

-**☼**- 1000 lm¹ □ 250 m¹ 250 m 65 h







- 01 Advanced Focus System stepless focusing
- 02 Extreme dust and water protection (IP67)
- 03 Flex Sealing Technology can be used for a short time underwater (including the focusing system) to a depth of
- **04** Intuitive operation and stepless dimming thanks to Wheel switch on the lamp head
- 05 Stepless swivel mechanism for vertical alignment
- **06 Constant Light** consistent level of brightness over time
- 07 Flicker-free flicker-free, constant light enables optimal and safe illumination of fast-moving parts and machines
- 08 Convenient and safe charging of the battery thanks to the Magnetic Charge System

Contents: 1 battery pack, magnetic charging cable

H7R WORK

THE ROBUST MODEL

-☆- 1000 lm¹ 250 m¹ 60 h







features and accessories for professional use

- 09 Extremely powerful, focusable headlamp for work: high color rendering, neutral white light
- 10 Innovatives Mounting System enables easy removal and replacement of the lamp head and the battery for maximum flexibility (also available with H7R Core and H7R Signature)
- 11 Protective elements over the lens and battery for high resistance to all types of impact
- 12 Microbe resistant material comfortable to wear and easy to clean

Contents: 1 battery set, magnetic charging cable, fastening clips for safe helmet mounting, focusing ring, transparent silicone tape, belt clip, extension cable

H7R SIGNATURE

-☆ 1200 lm] 260 m





- 13 Ledlenser Connect App enables personalization and remote control of the light functions
- 14 Wide range of accessories included
- 15 Reflective headband for optimal visibility

Contents: 1 battery set, fastening clips for safe helmet mounting, GoPro adapter, helmet holder, velcro fasteners, magnetic charging cable, tripod holder, USB power adapter, universal holder, extension cable, soft case transport bag

1-7 Information on page 184

THE NEW H-SERIES
















H5R CORE











H19R CORE



1-7 Information on page 184

THE CROWN OF LIGHT



THE NEW H-SERIES

LEDLENSER

CONNECTING SYSTEM

Like the new P-series, the headlamps of the new H-series can also be connected to an extensive selection of accessories thanks to the Ledlenser Connecting System.

The lamp head and rechargeable battery can each be quickly detached and easily connected to the suitable accessory via a coupling mechanism.





















THE NEW LEDLENSER POWERBANK CONCEPT

Flexible, sustainable, powerful – that distinguishes our new Flex series; the ideal addition for all outdoor activities. The rechargeable batteries of the new Ledlenser powerbanks Flex3 and Flex7 can be removed at any time and are easy to swop out after being drained. Therefore, the powerbanks can charge the 18650 batteries used in compatible Ledlenser lamps and in other electronic devices.

The new Batterybox7 enables the safe transport of two 18650 rechargeable batteries and protects, just like the Flex3 and Flex7, against water, dust and short circuits during harsh outdoor activities.

Can be used for:









Powerbank – NEW portable power Innovative 6-in-1 system

The Flex7 is more than just a Powerbank. Apart from the powerbank function, the included 18650 rechargeable batteries can also be safely stored, transported, charged, capacity tested inside the housing, and are removable.



Micro-USB cable included



INNOVATION

- FLEX-SERIES WEW




FLEX3

FLEX7

TECHNICAL SPECS	Powerbank+	Powerbank+
	109	109
←→ Width (mm)	27	47
\$\hfrac{1}{\tag{height (mm)}}\$	27	27
Weight with battery (g / oz)	88 / 3,1	164 / 5,8
Weight without battery (g / oz)	40 / 1,4	116 / 4,1
TECHNOLOGY		
- □ Battery	1x 18650 Li-ion Battery 3,6V	2x 18650 Li-ion Battery 3,6V
Battery Capacity ² (Wh / mAh)	12,34 / 3400	24,68 / 6800
○ IP Level	IP65	IP65
Rechargeable	Yes	Yes
Charging Time ⁵ (min)	240	240
Energy status indicator	Battery Indicator, Charge Indicator, Low Battery Warning	Battery Indicator, Charge Indicator, Low Battery Warning
FEATURES	6-IN-1	6-IN-1
	Powerbank with a fast replaceable battery	Powerbank with fast replaceable batteries
	2. Water and dust protection (IP65)	2. Water and dust protection (IP65)
	3. Battery charger	3. Battery charger
	4. Safe battery storage	4. Safe battery storage
	Double protection against short circuit (box and battery)	Double protection against short circuit (box and battery)
	6. Charge level indicator for the battery	6. Charge level indicator for both batteries
MATCHES		
Ledlenser lights	iH11R, MH11, MH10, NEO10R, ML6, ML6 Warm Light, ML6 Connect WL, P6R Core, P6R Signature, P6R Work	
PACKAGING		
Item no. Box / GTIN	502126 / 4058205019255	502125 / 4058205019224
Contents Box	1 Battery, USB cable	2 Batteries, USB cable
Price (MSRP) in €	34.90	54.90







BATTERYBOX7

Battery transport	t box
81	
56	
25	
133 / 4,7	
85 / 3,0	

2x 18650 Li-ion Battery 3,6V
24,68 / 6800
IP65
No (Supplied batteries: Yes)
-

- 1. Safe battery storage
- 2. Water and dust protection (IP65)
- 3. Protection against short circuit

iH11R, MH11, MH10, NE010R, ML6, ML6 Warm Light, ML6 Connect WL, P6R Core, P6R Signature, P6R Work

502128 / 4058205019118

2 Batteries

29,90






OUR

- **01** Brighter than the usual smartphone lamps
- **02** Multiple slots for up to nine cards
- **03** Small, handy LED lamp with two light intensities and precise optics in mini format
- **04** Integrated RFID blocker under the metal cover to protect personal data (up to six cards)
- **05** Another slot for banknotes
- **06** Easy charging with a wireless charging station or USB-C cable









GERMAN DESIGN AWARD SPECIAL 2021

LED	
	Power LED
III Light Functions	Power / Low Power
Ų́- Luminous flux¹ (lm)	150 / 10
Run Time ¹ (h)	1,5 / 12
BATTERY AND CASE	
⊐ Battery	Li-ion Battery Pack 3,7V
■ Battery Capacity² (Wh / mAh)	2,77 / 750
Rechargeable	Yes
Charging Time ⁵ (min)	150
SIZE AND WEIGHT	
✓ Siye LxBxH (mm)	96,5x74x24
Weight incl. Batterys (g / oz)	115 / 4,1
TECHNOLOGY	
Features	Charge Indicator, Battery Indicator, Wireless Charging
PACKAGING / COLOR	Item no. / GTIN
Box / Classic Black	502315 / 4058205024013
Box / Classic Chestnut	502326 / 4058205024198
Box / Classic Midnight Blue	502397 / 4058205024679
Box / Classic Caramel	502396 / 4058205024648
Box / Matte Deep Wine	502399 / 4058205024730
Box / Matte Dark Forest	502398 / 4058205024709
Box / Matte Taupe Grey	502401 / 4058205024792
Box / Vintage Brown	502400 / 4058205024761
Contents	USB cable

Price (MSRP) in €



The Ledlenser Lite Wallet is the practical everyday companion for your trouser or jacket pocket. The cardholder arranges identity cards, driver's license, credit cards, or banknotes.

Thanks to the integrated RFID protection, sensitive data is always safe. Integrated into the fine leather wallet is a power LED lamp with up to 150 lumens¹ of light output and homogeneous light distribution. The battery can be charged either wirelessly via a wireless charging station or using a USB-C cable.













Classic Midnight Blue



IN YOUR
FAVORITE
COLOR



Matte Deep Wine

Classic Caramel



Matte Dark Forest



Matte Taupe Grey



Vintage Brown



1-7 Information on page 184

69,90

HOME & LIFE FLASHLIGHTS








P7RCORE & Special Control of the con



THE NEW P-SERIES A CLASSIC BECOMES A GENUINE BESTSELLER













- 01 Extreme dust and water protection (IP68)
- 02 Advanced Focus System stepless focusing
- 03 Flex Sealing Technology can be used for a short time underwater (including the focusing system) to a depth of one meter
- **04 Multi-Core Optics** homogeneous beam made possible by special faceting of the lens
- **05** Personalize the light functions thanks to **Smart Light Technology**
- 06 Integrated battery and charge status display
- **07** Convenient and safe charging of the battery thanks to the **Magnetic Charge System**



—P-SERIES CORE NEW





L	ED		
\triangle	LED-Configuration	1x Power LED	1x Power LED
वा॥	Light Functions	Power / Mid Power / Low Power	Power / Mid Power / Low Power
<u>-\\\</u>	Luminous flux¹ (lm)	120 / 50 / 15	200 / 90 / 15
∺	Beam Distance¹ (m)	65 / 45 / 15	90 / 60 / 15
<u>(L)</u>	Run Time ¹ (h)	0,5 / 1 / 5	1,5 / 3 / 25
Ŋκ	Color temperature (K)	6000 - 7500	6000 - 7500
(CRI)	Color rendering index (CRI)	70	70
В	ATTERY AND CASE		
<u> </u>	Battery	1x Li-ion Battery 3,7V mit Mikro-USB	1x Li-ion Battery 3,7V mit Mikro-USB
<u> </u>	Battery Capacity ² (Wh / mAh)	0,74 / 200	2,22 / 600
ල	IP Level	IP54	IP54
٩	Rechargeable	Yes	Yes
<u>(L)</u>	Charging Time ⁵ (min)	150	150
<u></u>	Drop height (m)	2	2
S	IZE AND WEIGHT		
7	Length – defocused (mm)	103	150
\bigcirc	Head diameter (mm)	15	15
ğ	Weight incl. Battery (g / oz)	36 / 1,3	55 / 1,9
Т	ECHNOLOGY		
1	Smart Light Technology		
	Flex Sealing Technology		
<u></u>	Magnetic Charge System		
	Temperature Control		
	Advanced Focus System	•	•

PACKAGING		
Item no. Box / GTIN	502176 / 4058205020367	502177 / 4058205020398
Contents Box	1 battery set, pocket clip, USB charging cable	1 battery set, pocket clip, USB charging cable
Price (MSRP) in €	24,90	34,90
OPTIONAL ACCESSORIES		
OPTIONAL ACCESSORIES	0389 USB Power Supply and Cable	0389 USB Power Supply and Cable

Energy Saving





P7 CORE

1x High Power LED	1x Power LED
Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)	Power / Mid Power / Low Power
500 / 350 / 130 / 15	450 / 250 / 40
250 / 180 / 110 / 40	300 / 220 / 100
- / 1 / 3,5 / 25	1 / 2 / 25
6000 - 7500	6000 - 7500
70	70
1x 14500 Li-ion Battery 3,7V	4x Micro (AAA) Alkaline 1,5V
2,77 / 750	-
IP68	IP54
Yes	No
120	-
2	1
123	130
29	37
106 / 3,7	175 / 6,2
•	
•	-
•	-
•	•
•	•
Dimmable, Transportation Lock , Flicker-free, Memory Mode, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning	Energy Saving, Rapid Focus
502178 / 4058205020428	502180 / 4058205020480
1 battery set, lanyard, magnetic charging cable	1 battery set, lanyard
59,90	69,90
502259 Charging Station Type A	500981 4xAAA Alkaline Battery
502248 Lamp Adapter Type B NEW	100879 Color Filter Set 37mm

1-7 Information on page 184





- 01 Extreme dust and water protection (IP68)
- 02 Advanced Focus System
 stepless focusing
- O3 Flex Sealing Technology

 can be used for a short
 time underwater (including the focusing system)
 to a depth of one meter
- 04 Personalize the light functions thanks to Smart Light Technology
- 05 Convenient and safe charging the battery thanks to the Magnetic Charge System



Energy Saving

More features

— P-SERIES CORE



LED

△ LED-Configuration

■ Light Functions

-\(\overline{\tau}\)- Luminous flux¹ (lm)

□→ Beam Distance¹ (m)

(h) Run Time¹ (h)

Color temperature (K)

© Color rendering index (CRI)

BATTERY AND CASE

 ■ Battery

Battery Capacity ² (Wh / mAh)

IP Level

Rechargeable

Charging Time⁵ (min)

Drop height (m)

SIZE AND WEIGHT

Length – defocused (mm)

Head diameter (mm)

Weight incl. Battery (g / oz)

TECHNOLOGY

Smart Light Technology

Flex Sealing Technology

Magnetic Charge System

Multi Core Optics

Advanced Focus System

More features

PACKAGING

Item no. Box / $\ensuremath{\mathsf{GTIN}}$

Contents Box

Price (MSRP) in €

OPTIONAL ACCESSORIES

more accessories on page 60







P6R CORE

P7R CORE

P1	7R	CO
	/ I \	

R	CO	RI	=	rechs	
• •	$\overline{}$		_	-	

1x Xtreme LED	1x Xtreme LED	1x Xtreme LED
Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)
900 / 600 / 240 / 15	1400 / 1000 / 440 / 15	1200 / 900 / 350 / 15
240 / 190 / 120 / 25	300 / 210 / 130 / 15	560 / 420 / 270 / 50
- / 2 / 6 / 95	- / 2 / 4 / 90	- / 2,75 / 12 / 200
6000 - 7500	6000 - 7500	6000 - 7500
65	70	65
1x18650 Li-ion Battery 3,7V	1x 21700 Li-ion Battery 3,7V	1x LiFePO4 Batterypack 6,4V
9,25 / 2500	17,76 / 4800	36,48 / 5700
IP68	IP68	IP54
Yes	Yes	Yes
300	270	270
2	2	1
151	158	290
35	35	53
170 / 6,0	202 / 7,1	715 / 25,2
•	•	•
•	•	-
•	•	•
•	•	-
•	•	•
Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Temperature Control System, Battery Indicator, Charge Indicator, Low Battery Warning	Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Temperature Control System, Battery Indicator, Charge Indicator, Low Battery Warning	Mode Switch, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Safety Ytrion Cell, Rapid Focus, Battery Indicator, Charge Indicator, Low Battery Warning
502179 / 4058205020459	502181 / 4058205020510	502182 / 4058205020541
1 battery set, lanyard, magnetic charging cable	1 battery set, lanyard, magnetic charging cable	1 set of batteries, intelligent clip, wall bracket, power adapter, magnetic charging cable
79,90	99,90	199,00
502250 Lamp Adapter Type C	502251 Lamp Adapter Type D	0042 Signal Cone 53mm

1-7 Information on page 184



P6R CORE QC







- 01 Equipped with a


 Multicolor LED with white,
 red, green and blue light
- **02 Multicolor Strobe** colored flashes of light with irritating glare effect for emergencies
- **03 Easy Operation** the rotary switch enables quick color changes
- **04 Advanced Focus System –** stepless focusing



			47
P6R	CORE	QC	7.6

1x Power LED
Power / Mid Power / Low Power
270 / 120 / 15
335 / 220 / 80
5 / 14 / 110
6000 - 7500
80 (White light)
1x Li-ion Batterypack 3,7V
9,25 / 2500
IP54
Yes
200
1,5
157
42
207 / 7,3
•
•
•
Multicolor Strobe, Single Color Strobe
502517 / 4058205026819
1 battery set, lanyard, USB charging cable
69,90
502251 Lamp Adapter Type D

1-7 Information on page 184



ACCESSORIES FLASHLIGHTS

P-SERIES CORE



LEDLENSER CONNECTING SYSTEM

MODEL	P2R CORE	P4R CORE	P5R CORE	P6R CORE	P7R CORE	P6R CORE QC	Item no.	MSRP (€)
Lamp Adapter Type A NEW	•	•					502248	4,90
Lamp Adapter Type B NEW			•				502249	4,90
Lamp Adapter Type C NEW				•			502250	4,90
Lamp Adapter Type D NEW					•	•	502251	4,90
Tripod Adapter Type D NEW	•	•	•	•	•	•	502247	9,90
GoPro Adapter Type D NEW	•	•	•	•	•	•	502246	7,90
Belt Clip Type A NEW	•	•	•	•	•	•	502253	6,90
Helmet Mount for Euroslot Type A NEW	•	•	•	•	•	•	502254	6,90
Flexible Mount Type A NEW	•	•	•	•	•	•	502255	14,90
Universal Mounting Bracket Type E NEW	•	•	•	•	•	•	502256	12,90



Mounting adapter (Requirement)

The adapter enables the connection between flashlights and the versatile Ledlenser connecting system.

Now the light is compatible with various additional accessory brackets and mounts.



GoPro Adapter Compatible with almost all GoPro systems and accessories 7,90 € (MSRP)

Item no. 502255 Flexible Mount

Flexible fastening system with magnet, adhesive pad and hole to screw on 14,90 € (MSRP)



Item no. 502254 **Helmet Mount for Euroslot** Hard hat mount for 30 mm Euroslot 6,90 € (MSRP)



Item no. 502256 **Universal Mounting Bracket** Stable universal fastening to cylindrical objects 12,90 € (MSRP)

Multiple sizes / item no's.

4,90 € (MSRP)



Item no. 502247 **Tripod Adapter** Tripod adapter 9,90 € (MSRP)



Item no. 502253 **Belt Clip Type A** Belt clip for lights and battery packs 6,90 € (MSRP)

Item no. 502126 Powerbank Flex3 More information on page 40 34,90 € (MSRP)



Item no. 502125 Powerbank Flex7 More information on page 40 54,90 € (MSRP)



Item no. 502128 Batterybox7 More information on page 40 29,90 € (MSRP)



Multiple sizes / item no's. **Charging Station**

12,90 € (MSRP)

professional charging station Includes magnetic charging cable, compatible with 5 Station Charging

Wall Mount Wall mounting system incl. magnetic charging cable 9,90 € (MSRP)



ACCESSORIES POWER SUPPLY

MODEL	P2R CORE	P4R CORE	P5R CORE	P6R CORE	P7 CORE	P7R CORE	P17R CORE	P6R CORE QC	Item no.	MSRP (€
Powerbank Flex3 NEW	'			•				•	502126	34,90
Powerbank Flex7 NEW				•				•	502125	54,90
Batterybox7 NEW				•				•	502128	29,90
Magnetic Charging Cable Type A NEW	•	•	•	•		•			502265	6,90
Wall Mount Type A NEW (includes magnetic charging cable)				•					502257	9,90
Wall Mount Type B NEW (includes magnetic charging cable)						•			502258	9,90
Charging Station Type A NEW (includes magnetic charging cable)			•						502259	12,90
Charging Station Type B NEW (includes magnetic charging cable)				•		•			502260	12,90
5 Station Charging Panel NEW			•	•		•			502261	69,90
USB Adapter 2.4A NEW	•	•	•	•		•	•	•	502271	14,90
USB Power Supply and Adapter Cable	•	•						•	0389	14,90
Car Charger	•	•	•	•		•	•	•	0380	9,90
21700 Li-ion rechargeable battery 4800mAh NEW						•			502262	24,90
14500 Li-lon rechargeable battery 750 mAh			•						500985	12,90
18650 Li-lon rechargeable battery 3000 mAh				•			•		501001	24,90
4x AAA Alkaline Ionic					•				500981	3,49



ACCESSORIES / NEW P-SERIES

ACCESSORIES FLASHLIGHTS

P-SERIES CORE

POUCHES / FILTERS / MOUNTS AND MORE

MODEL	P2R CORE	P4R CORE	P5R CORE	P6R CORE	P7 CORE	P7R CORE	P17R CORE	P6R CORE QC	Item no.	MSRP (€)
Color Filter Set 35.1mm NEW				•		•			502238	19,90
Color Filter Set 29.5mm NEW			•						502239	18,90
Color Filter Set 53mm NEW							•		502240	24,90
Color Filter Set 37mm					•				100879	19,90
Signal Cone 35.1mm NEW				•		•			502237	9,90
Signal Cone White 35.1mm NEW				•		•			502243	9,90
Signal Cone White 53mm NEW							•		502245	9,90
Signal Cone 37mm					•				0040	6,90
Signal Cone White 37mm					•				0040-W	6,90
Signal Cone 53mm							•		0042	9,90
Roll Protection 53mm NEW							•		502241	14,90
Roll Protection Ring					•				0320	6,90
Case Type A NEW						•			502263	24,90
Case Type B NEW						•			502264	29,90
Leather Pouch Type D				•		•			502269	19,90
Pouch Type D	•								0337	9,90
Pouch Type G				•		•		•	0342	9,90
Pouch Type A					•				0333	9,90
Pouch Type L			•						0340	7,90
Universal Mounting Bracket Type B			•	•	•	•		•	7799-PT	15,90
Intelligent Clip Type C					•				0317	8,90
Universal Mounting System				•	•	•		•	0362	14,90



Multiple sizes / item no's.

Signal Cone Red

The plastic plug-in attachment transforms a Ledlenser flashlight into a versatile, red signal light, e.g. for use in road, rail and air traffic, emergencies or photography.

from 6,90 € (MSRP)



Case Type A

Soft case transport bag: Inside there are elastic loops and a mesh pocket to attach the lamp, Powerbank, cables and other accessories. On the outside, a handle and loops for attachment to a belt or backpack ensure optimal portability. (Size 200mm x 135mm x 72mm)

24,90 € (MSRP)



Case Type B

With this high-quality, fabric-covered hard case, the Ledlenser lamp and accessories are always safely stored and protected from dust and external influences. Inside there are elastic loops and a mesh pocket to stow the lamp, Powerbank and other accessories. (Size 200mm x 135mm x 72mm)

29,90 € (MSRP)



Item no. 0362

Universal Mounting System

This universal mounting system quickly attaches flashlights with a diameter of 25-34 mm securely to tripods, rods and tubes . 14,90 € (MSRP)




Multiple sizes / item no's.

Signal Cone White

The plastic plug-in attachment transforms a Ledlenser flashlight into a versatile, white signal light. The flashlight with the white signal cone can also be converted into an area light, for example to evenly illuminate rooms or a tent.

from 6,90 € (MSRP)





Color Filter Sets

Color filter set: The filters are each pre-assembled on a color filter cap that can be attached directly to the lamp head of the compatible flashlight.

12,90 € (MSRP)





Item no. 501027 **Leather Pouch** High quality belt bag made of real leather with magnetic closure 19,90 € (MSRP)



Item no. 501027 **Pouch** Fanny pack made of robust Polyamide fabric with elastic sidewalls

9,90 € (MSRP)



Item no. 0317 **Intelligent Clip**

Belt clip: the holder can be rotated 360 $^{\circ}$ and transforms the lamp into a flexible headlight

8,90 € (MSRP)



K-SERIES

()



	K1	K2
LED		
△ LED-Configuration	1x Low Power LED	1x Power LED
뻬 Light Functions	Power	Power
-\rightarrow Luminous flux1 (lm)	13	20
□→ Beam Distance ¹ (m)	16	20
© Run Time¹ (h)	0,25	4
BATTERY AND CASE		
— Battery	4x Button Cell (LR41) Alkaline 1,5V	4x Button Cell (LR44) Alkaline 1,5V
Battery Capacity ² (Wh / mAh)	-	-
(a) Rechargeable	No	No
Charging Time ⁵ (min)	_	
P Level	IP54	IP54
SIZE AND WEIGHT		
Length – defocused (mm)	43	52
Head diameter (mm)	10,5	14,5
Weight incl. Battery (g / oz)	10 / 0,4	20 / 0,7
TECHNOLOGY		
Rapid Focus		
Advanced Focus System		
More features		
PACKAGING		
Item no. Box / GTIN	8201 / 4029113820103	8202 / 4029113820202
Item no. Blister / GTIN	8251 / 4029113825153	8252 / 4029113825252
Contents Box	1 set of batteries, key ring	1 set of batteries, key ring
Price (MSRP) in €	7,90	8,90

MINI FLASHLIGHTS WITH A KEY MOMENT





K <mark>3</mark>	K4R
1x Low Power LED	1x COB LED
Power	Power, S.O.S.
14	60
33	10
1,3	1,5
4x Button Cell (LR44) Alkaline 1,5V	1x Li-ion Battery 3,7V (intern)
_	0,67 / 180
No	Yes
_	120
IP54	IP2X
77	50
20	22
29 / 1	17 / 0,6
•	
•	
	Charge Indicator, S.O.S.
8313 / 4029113831307	502066 / 4058205017343
8613 (Test-it) / 4029113861359	502132 / 4058205019194
1 set of batteries, key ring	1 carabiner, USB cable
15,90	16,90

¹⁻⁷ Information on page 184





P-SERIES



7	7	
_		
	_	

	P2
LED	
△ LED-Configuration	1x Low Power LED
Light Functions	Power
-\hat{\cap}- Luminous flux¹ (lm)	16
□→ Beam Distance¹ (m)	25
© Run Time ¹ (h)	7
BATTERY AND CASE	
■ Battery	1x Micro (AAA) Alkaline 1,5V
Battery Capacity ² (Wh / mAh)	-
(a) Rechargeable	No
Charging Time ⁵ (min)	_
াP Level	IP54
SIZE AND WEIGHT	
∠ ⁷ Length – defocused (mm)	102
Head diameter (mm)	14,5
Weight incl. Battery (g / oz)	36 / 1,3
TECHNOLOGY	
Rapid Focus	
Advanced Focus System	•
More features	Energy Saving
PACKAGING	
Item no. Box / GTIN	8402 / 4029113840200
Item no. Blister / GTIN	8602 (Test-it) / 4029113860253
Contents Box	1 battery pack, belt pouch, lanyard, key ring, pocket clip
Price (MSRP) in €	14,90
OPTIONAL ACCESSORIES	
	500981 4x AAA Alkaline Ionic

LUMINOUS COMPANIONS WITH FAMILIAR QUALITY

	*Tarkay E	1 Section 1
*:mrunfil		
P3	P4	P5
1x Power LED	1x Low Power LED	1x Power LED
Power	Power	Power
25	18	140
60	25	120
6	8,5	4
1x Micro (AAA) Alkaline 1,5V	2x Micro (AAA) Alkaline 1,5V	1x Mignon (AA) Alkaline 1,5V
-	-	-
No	No	No
_	_	-
IP54	IP54	IP54
90	147	113
19	14,5	26
35 / 1,2	53 / 1,9	80 / 2,8
•		•
•	•	•
Energy Saving	Energy Saving	Energy Saving
500882 / 4058205009393	8404 / 4029113840408	500895 / 4058205009850
500883 (Test-it) / 4058205009423	8604 (Test-it) / 4029113860451	500896 (Test-it) / 4058205009867
1 battery pack, belt pouch, lanyard, key ring, pocket clip	1 battery pack, belt pouch, lanyard, key ring, pocket clip	1 battery pack, belt pouch, lanyard
14,90	24,90	44,90
500981 4x AAA Alkaline Ionic	500981 4x AAA Alkaline Ionic	500980 4x AA Alkaline Ionic
		0315 Intelligent Clip Type A







- **01 Extreme light output –** up to 800 meters¹ beam distance with up to 5000 lumens¹ thanks to seven Xtreme LEDs
- 02 X-Lens Technology precise synchronization of the bundles of rays from several reflector lenses to form an extremely homogeneous, stage-like floodlight or a very sharply focused high beam
- 03 Advanced Focus System stepless focusing
- **04** High-quality battery system **Safety Ytrion Cell** over 5000 charging cycles without significant loss of capacity
- **05** Quick to hand convenient charging with the Floating Charge System
- **06 Great ease of use** 7 light functions, 4 light programs, 2 energy modes, and 1 multi-function switch








THE ULTIMATE HAND-HELD SEARCHLIGHT

X21R



1.50	
LED	
△ LED-Configuration	7x Xtreme LED
III Light Functions	Boost / Power / Low Power (+ Blink, S.O.S., Strobe, Position)
-\(\sum_1\)- Luminous flux¹(lm)	5000 / 3500 / 200
□→ Beam Distance¹ (m)	800 / 700 / 150
Run Time ¹ (h)	
BATTERY AND CASE	
■ Battery	1x LiFePO4 Batterypack 9,6V
■ Battery Capacity ² (Wh / mAh)	48 / 5000
(g) Rechargeable	Yes
Charging Time ⁵ (min)	210
↑ IP Level	IP54
SIZE AND WEIGHT	
∠ Length – defocused (mm)	405
Head diameter (mm)	95
Weight incl. Battery (g / oz)	1315 / 45,9
TECHNOLOGY	
Smart Light Technology	•
Rapid Focus	•
Floating Charge System	•
Advanced Focus System	•
X-Lens Technology	•
Emergency Light	•
Safety Ytrion Cell	•
Temperature Control	•
More features	Energy Saving, Constant Light, Charge Indicator, Battery Indicator, Dimmable, Transportation Lock
PACKAGING	
Item no. Case / GTIN	501967 / 4058205015394
Contents	1 battery set, floating charge system, assembly material, power supply unit, roll protection, tripod holder, carrying strap, case
Price (MSRP) in €	399,00
OPTIONAL ACCESSORIES	
more accessories on page 70	0386 Car Charger
	1-7 Information on page 18/





HOME & LIFE

ACCESSORIES FLASHLIGHTS

POUCHES / HOLDERS AND MORE

MODEL	P2/3	P4	P5	X21R	ltem no.	MSRP (€)
Pouch Type D			•		0337	9,90
Pouch Type L			•		0340	9,90
Intelligent Clip Type A			•		0315	8,90
Universal Mounting Bracket Type C			•		7799-PT5	12,90
Universal Mounting System			•		0362	14,90
Signal Cone 26 mm			•		7479	6,90
Car Charger				•	0386	19,90
4x AAA Alkaline Ionic	•	•			500981	3,49
4x AA Alkaline Ionic			•		500980	3,49



Item no. 7479 Signal Cone Signal Cone 6,90 € (MSRP)



Item no. 0362

Universal Mounting System

This universal mounting fixes flashlights with a diameter of 25-34 mm securely to tripods, rods and tubes in next to no time. The lamp and fixation are aligned in parallel

14,90 € (MSRP)

Item no. 0317

Intelligent Clip

flexible headlight 8,90 € (MSRP)

Practical belt clip: the holder can be rotated

360 $^{\circ}$ and transforms the lamp into a



Multiple sizes / item no's.

Pouch

9,90 € (MSRP)



Item no. 7799-PT5 Universal Mounting Bracket Type C With this universal attachment, flash-


lights can be easily attached to tripods, rods and tubes using a clamp screw. The flexible head of the bracket can be rotated 360 degrees
12,90 € (MSRP)



Car Charger

This handy 12-volt car charger with integrated cable fits into any cigarette lighter. So you can charge your Ledlenser on the go 19,90 € (MSRP)





HOME & LIFE HEADLAMPS



























- **01** Intuitive operation and stepless dimming thanks to the Wheel switch on the lamp head
- 02 Strong dust and water protection (IP67)
- **03** Stepless **swivel mechanism** for vertical alignment of the light cone
- **04 Advanced Focus System** stepless focusing
- **05** Convenient and safe charging of the battery thanks to the Magnetic Charge System
- 06 Integrated battery and charge status display
- **07 Ledlenser Connecting System** an interface for many accessories (see page 78)

—H-SERIES CORE







H5 CORE	H5R CO
UD COKE	HICK CO

LED		
	1x High Power LED	1x High Power LED
Light Functions	Boost / Power / Low Power	Boost / Power / Low Power
-\(\overline{\sigma}\)- Luminous flux¹ (lm)	350 / 200 / 15	500 / 300 / 15
□→ Beam Distance¹ (m)	160 / 120 / 30	200 / 150 / 30
© Run Time¹ (h)	- / 2 / 20	- / 2 / 50
Color temperature (K)	6000 - 7500	6000 - 7500
© Color rendering index (CRI)	70	70
BATTERY AND CASE		
■ Battery	2x Mignon (AA) Alkaline 1,5V	1x Li-ion Batterypack 3,7V
Battery Capacity ² (Wh / mAh)	-	6,66 / 1800
□ IP Level	IP67	IP67
Rechargeable	No	Yes
Charging Time ⁵ (min)	-	210
□ Drop height (m)	1,5	1,5
SIZE AND WEIGHT		
Head diameter (mm)	32	32
Weight incl. Battery (g / oz)	178 / 6,3	167 / 5,9
TECHNOLOGY		
Multi-Core Optics		
Flex Sealing Technology	•	•
Magnetic Charge System		•
Fusion Beam		
Advanced Focus System	•	•
More features	Cooling Technology, Dimmable, Transportation Lock, Energy Saving	Cooling Technology, Temperature Cont- rol, Dimmable, Transportation Lock, Fli- cker-free, Memory Mode, Backup Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light
PACKAGING		
Item no. Box / GTIN	502193 / 4058205020848	502121 / 4058205020879
Contents Box	1 set of batteries	1 set of batteries, magnetic charging cable
Price (MSRP) in €	49,90	69,90
OPTIONAL ACCESSORIES		

502451 Transp. Silicone Headband NEW 502256 Universal Mounting Bracket NEW







H/R CURE	HISK CURE	HI9R CURE
1x Xtreme LED	1x Xtreme LED	2x Xtreme LED
Boost / Power / Low Power	Boost / Power / Low Power	Boost / Power / Mid Power / Low Power
1000 / 600 / 15	2500 / 1000 / 20	3500 / 1600 / 800 / 200
250 / 200 / 25	250 / 170 / 20	300 / 230 / 150 / 80
- / 4 / 65	- / 5 / 80	- / 4 / 7 / 20
6000 – 7500	6000 – 7500	6000 – 7500
70	70	70
1x 21700 Li-ion Battery 3,7V	1x Li-ion Batterypack 7,4V	1x Li-ion Batterypack 7,4V
17,76 / 4800	35,52 / 4800	35,52 / 4800
IP67	IP67	IP68
Yes	Yes	Yes
210	330	330
1,5	1,5	1,5
41	47	68
259 / 9,1	380 / 13,4	374 / 13,2
	•	•
•	•	-
•	•	•
	-	•
•	•	
Cooling Technology, Temperature Cont- rol, Dimmable, Transportation Lock, Fli- cker-free, Memory Mode, Backup Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light	Cooling Technology, Temperature Cont- rol, Dimmable, Transportation Lock, Fli- cker-free, Memory Mode, Backup Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light	Temperature Control, Cooling Technology, Optisense Technology, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light, Red Light
502122 / 4058205020909	502123 / 4058205020930	502124 / 4058205020961
1 set of batteries, magnetic charging cable	1 set of batteries, magnetic charging cable	1 set of batteries, magnetic charging cable
89,90	159,00	199,00

1-7 Information on page 184

502246 GoPro Adapter Type D NEW




502262 21700 Li-Ion Recharge. Battery NEW 502253 Belt Clip Type A NEW

more accessories on page 78

ACCESSORIES HEADLAMPS H-SERIES CORE

LEDLENSER ← CONNECTING SYSTEM







COLOR FILTERS / CABLES / BATTERIES AND MORE

4,90 € (MSRP)

MODEL	H5 CORE	H5R CORE	H7R CORE	H15R CORE	H19R CORE	Item no.	MSRP (€)
Color Filter Set 32mm NEW	•	•				502307	18,90
Color Filter Set 40mm NEW			•			502308	18,90
Color Filter Set 47mm NEW				•		502309	19,90
Headband with Overheadband CORE NEW	•	•	•	•	•	502469	9,90
Headband with Overheadband WORK NEW	•	•	•	•	•	502470	9,90
Headband with Overheadband SIGNATURE NEW	•	•	•	•	•	502471	12,90
Wireless Remote Control Type A NEW (can only be used in conjunction with Bluetooth® 2x 21700 Batterybox - 502411)				•		502311	34,90
Helmet Band Fixing Clips Type A NEW	•	•	•	•	•	502313	4,90
Transparent Silicone Headband Type A NEW	•	•	•	•	•	502451	9,90
Magnetic Charging Cable Type A NEW		•	•	•	•	502265	6,90
Extension Cable Type C NEW				•	•	502312	9,90
USB Adapter 2.4A NEW		•	•	•	•	502271	14,90
21700 Li-ion Rechargeable Battery 4800mAh NEW			•			502262	24,90
4x AA Alkaline Ionic	•					500980	3,49
2x 21700 Li-ion Rechargeable Battery Pack NEW				•	•	502310	39,90
Bluetooth® 2x 21700 Batterybox NEW				•	•	502411	59,90



6,90 € (MSRP)

HOME & LIFE **(E)**

— H-SERIES FREE HANDS, PERFECT ILLUMINATION, PROVEN QUALITY

H3.2





H4R

1x Power LED

250 / 150 / 20 35 / 25 / 10 - /3/40

5,18 / 1400

Yes

240 IP57

70 95 / 3.35

Boost / Power / Low Power

1x LiPo Batterypack 3,7V

Constant Light, Low Battery Warning,

Charge Indicator, Rear Light, Transportation Lock

501098 / 4058205015622

501099 / 4058205015653

49,90

0332 Pouch Type H

1 set of batteries, USB cable

H4

		· · ·
LED		
△ LED-Configuration	1x Power LED	1x Power LED
IIII Light Functions	Power / Low Power	Boost / Power / Low Power
Ç⊤ Luminous flux¹ (lm)	120 / 5	250 / 150 / 20
≕3→ Beam Distance¹ (m)	100 / 20	35 / 25 / 10

L Run Time ¹ (h)	6 / 60	- / 3 / 40
BATTERY AND CASE		
Battery	3x Micro (AAA) Alkaline 1,5V	3x Micro (AAA) Alkaline 1,5V
Battery Capacity ² (Wh / mAh)	_	-
Rechargeable	No	No
Charging Time ⁵ (min)	_	-
P Level	IP54	IP57
SIZE AND WEIGHT		
Head diameter (mm)	28	70
Weight incl. Battery (g / oz)	133 / 4,7	100 / 3,53
TECHNOLOGY		

Advanced Focus System	<u> </u>	
More features	Energy Saving, Dimmable	Constant Light, Low Battery Warnir Rear Light, Transportation Lock
PACKAGING		

PACKAGING		
Item no. Box / GTIN	500767 / 4058205000666	501096 / 4058205015561
Item no. Blister / GTIN	500768 (Test-it) / 4058205000673	501097 / 4058205015592
Contents Box	1 set of batteries	1 set of batteries
Price (MSRP) in €	29,90	29,90
OPTIONAL ACCESSORIES		
	0332 Pouch Type H	0332 Pouch Type H
	502313 Helmet Band Fixing Clips Type A	500981 4x AAA Alkaline Ionic
	0370 Overhead Headband Type A	502313 Helmet Band Fixing Clips Type A
more accessories on page 84	500981 4x AAA Alkaline Ionic	



÷ 250 lm¹ — 35 m¹ — $40 h^{1}$ —





- **01 Wide Beam** innovative optics and swiveling head for optimal illumination of the field of
- **02 Li-ion-Battery** conveniently via micro USB rechargeable
- 03 Visible all around thanks to the red flashing rear light
- **04** High dust and water protection (IP57)
- 05 Backup Mode over one hour remaining time from the first low battery warning













Wide Beam

Temperature Control



-SEO-SERIES



SE03 SE05

		
LED		
	1x Power LED	1x Power LED
III Light Functions	Power / Low Power (+ Blink)	Power / Low Power (+ Blink)
C- Luminous flux¹ (lm)	100 / 15	180 / 20
⇒ Beam Distance¹ (m)	100 / 30	120 / 40
L Run Time ¹ (h)	10 / 40	7 / 25
BATTERY AND CASE		
□ Battery	3x Micro (AAA) Alkaline 1,5V	3x Micro (AAA) Alkaline 1,5V
Battery Capacity ² (Wh / mAh)		-
Rechargeable	No	No
Charging Time ⁵ (min)		-
∩ IP Level	IP56	IP56
SIZE AND WEIGHT		
Head diameter (mm)	29	29
og Weight incl. Battery (g / oz)	105 / 3,7	105 / 3,7
TECHNOLOGY		
Rapid Focus	•	•
Femperature Control		•
Advanced Focus System	•	•
Smart Light Technology	•	•
Optisense Technology		
More features	Transportation Lock, Red Light, Dual Power Source	Low Battery Warning, Transportation Lock, Dimmable, Red Light, Dual Power Source

PACKAGING				
Item no. Box / GTIN	6003 (Green) / 4029113600309	6005 (Gray) / 4029113600507		
Item no. Test-it-Blister / GTIN	6103 (Green) / 4029113610353	6105 (Gray) / 4029113610551		
Item no. Box / GTIN	6004 (Orange) / 4029113600408	6006 (Red) / 4029113600606		
Item no. Test-it-Blister / GTIN	6104 (Orange) / 4029113610452	6106 (Red) / 4029113610650		
Contents Box	1 set of batteries	1 set of batteries		
Price (MSRP) in €	24,90	39,90		
OPTIONAL ACCESSORIES				
	7784 Li-ion Rech. Battery Pack 880 mAh	7784 Li-ion Rech. Battery Pack 880 mAh		
	500981 4x AAA Alkaline Ionic	500981 4x AAA Alkaline Ionic		
more accessories on page 84	0368 Helmet Connecting Kit	0368 Helmet Connecting Kit		





SE07R

1x Power LED
Power / Low Power (+ Blink)
220 / 20
130 / 40
5 / 20

1x Li-ion Batterypack 3,7V
3,26 / 880
Yes
240
IP56

29 93 / 3,3

•

Constant Light, Energy Saving, Charge Indicator, Low Battery Warning, Transportation Lock, Dimmable, Red Light, Dual Power Source


6007-R (Blue) / 4029113600705 6107-R (Blue) / 4029113610759 6007-RB (Black) / 4029113600736 6107-RB (Black) / 4029113610735

1 set of batteries, USB cable

49,90

502313 Helmet Band Fixing Clips Type A
7784 Li-ion Rech. Battery Pack 880 mAh
0368 Helmet Connecting Kit

1-7 Information on page 184



HOME & LIFE

ACCESSORIESHEADLAMPS

COLOR FILTERS / HOLDERS / BATTERIES AND MORE

MODEL	H3.2	H4/H4R	SE03	SE05	SE07R	Item no.	MSRP (€)
Helmet Band Fixing Clips Type A NEW	•	•	•	•	•	502313	4,90
Helmet Connecting Kit Type B			•	•	•	0368	9,90
Pouch Type H	•	•				0332	12,90
4x AAA Alkaline Ionic	•		•	•	•	500981	3,49
Li-ion Rechargeable Battery Pack 3,7V 880 mAh			•	•	•	7784	19,90
USB Car Charger					•	0380	9,90
USB Power Supply and Adapter Cable					•	0389	14,90





Item no. 502313

Helmet Band Fixing Clips

Practical helmet attachment set securely fixes every headlamp
and precisely on the helmet

4,90 € (MSRP)





Item no. 0389

USB Power Supply

and Adapter Cable

USB charger with

adapter cable

14,90 € (MSRP)




Item no. 0380

USB Car Charger

USB car charger adapter - fits into any conventional 12 volt and 24 volt cigarette lighter

9,90 € (MSRP)





- P7R WORK & Company of the second se





















- 03 Protective elements on the lamp head and the end cap absorb impacts and increase slip resistance; the additional front lens **cover** protects the lens from scratching
- **04** Improved **chemical resistance** of the entire flashlight
- 05 Advanced Focus System stepless focusing
- 06 Extreme dust and water protection (IP68)
- 07 White secondary light on the side of the housing for diffuse illumination at close range
- **08 Ledlenser Connecting System** one interface for many accessories (see page 32)
- 09 Robust charging station suitable for installation in a vehicle and compatible with the 5 station charging panel



¹⁻⁷ Information on page 184

->; 1200 lm¹ —— ⇒ 240 m¹ ——

60 h¹ ----

HANDY AND ROBUST LIGHTS





Energy Saving, Charge Indicator

LED				
△ LED-Configuration	1x Power LED	1x Power LED		
때 Light Functions	Power / Mid Power / Low Power	Power / Mid Power / Low Power		
-\o'- Luminous flux¹ (lm)	110 / 50 / 15	170 / 70 / 15		
□→ Beam Distance¹(m)	90 / 60 / 20	100 / 65 / 20		
Run Time¹ (h)	0,5 / 1,5 / 7	1,25 / 3 / 15		
Color temperature (K)	4200 - 4500	4200 - 4500		
© Color rendering index (CRI)	80	80		
BATTERY AND CASE				
□ Battery	1x Li-ion Batterypack 3,7V	1x Li-ion Batterypack 3,7V		
Battery Capacity ² (Wh / mAh)	1,8 / 320	2,77 / 750		
Ф IP Level	IP54	IP54		
Rechargeable	Yes	Yes		
Charging Time ⁵ (min)	150	150		
Drop height (m)	2	2		
SIZE AND WEIGHT				
∠ Length – defocused (mm)	120	164		
Head diameter (mm)	15	15		
Weight incl. Battery (g / oz)	44 / 1,6	62 / 2,2		
TECHNOLOGY				
Smart Light Technology				
Flex Sealing Technology				
Magnetic Charge System	•	•		
Temperature Control				
Advanced Focus System	•	•		

PACKAGING		
Item no. Box / GTIN	502183 / 4058205020572	502184 / 4058205020602
Contents Box	1 battery set, belt pouch, lanyard, magnetic charging cable, pocket clip	1 battery set, belt pouch, lanyard, magnetic charging cable, pocket clip
Price (MSRP) in €	34,90	44,90
OPTIONAL ACCESSORIES		
more accessories on page 94	502248 Lamp Adapter Type A	502248 Lamp Adapter Type A

Energy Saving, Charge Indicator

P5R WORK

1x High Power LED

Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)

480 / 320 / 120 / 15

240 / 165 / 100 / 30

-/1/3/25

3700 - 4400

70

1x 14500 Li-ion Battery 3,7V

2,77 / 750

IP68

Yes

120

3

132

38

124 / 4,4

_

Chemical Resistant, Dimmable , Transportation Lock , Flicker-free, Memory Mode, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning

502185 / 4058205020633

1 battery set, intelligent clip, charging station, belt pouch, lanyard, power adapter, magnetic charging cable

69,90

502254 Helmet Mount for Euroslot

1-7 Information on page 184

THE NEW **P-SERIES CORE** FROM PAGE **52**

P-SERIES WORK

NEW

FLASHLIGHTS / NEW P-SERIES

WORK & PROFESSIONAL



THE NEW **P-SERIES SIGNATURE** FROM PAGE **146**

CONTENTS

More features

HIGH-PERFORMANCE POWER PACKS







	POR WURK	P/R WURK
LED		
△ LED-Configuration	1x Xtreme LED, (1x Low Power LED)	1x Xtreme LED, (1x Low Power LED)
Ill Light Functions	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)
-\documents	850 / 700 / 300 / 15	1200 / 900 / 390 / 15
□→ Beam Distance¹ (m)	230 / 190 / 115 / 20	240 / 180 / 115 / 15
C Run Time ¹ (h)	- / 1,5 / 2,5 / 45	- / 2 / 3,25 / 60
Color temperature (K)	3700 - 4400	3700 - 4400
(R) Color rendering index (CRI)	90	90
BATTERY AND CASE		
■ Battery	1x 18650 Li-ion Battery 3,6V	1x 21700 Li-ion Battery 3,7V
■ Battery Capacity ² (Wh / mAh)	10,89 / 3000	17,76 / 4800
□ IP Level	IP68	IP68
(a) Rechargeable	Yes	Yes
Charging Time ⁵ (min)	225	270
<u>↓</u> Drop height (m)	3	3
SIZE AND WEIGHT		
∠ Length – defocused (mm)	163	170
Head diameter (mm)	45	45
Weight incl. Battery (g / oz)	187 / 6,6	219 / 7,7
TECHNOLOGY		
Smart Light Technology	•	•
Flex Sealing Technology	•	•
Natural Light	•	•
Multi-Core Optics	•	•
Advanced Focus System	•	•
More features	White Secondary Light, Magnetic Charge System, Temperature Control, Chemical Resistant, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning	White Secondary Light, Magnetic Charge System, Temperature Control, Chemical Resistant, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning
PACKAGING		
Item no. Box / GTIN	502186 / 4058205020664	502187 / 4058205020695
Contents Box	1 battery set, intelligent clip, charging station, belt pouch, lanyard, USB power adapter, magnetic charging cable	1 battery set, intelligent clip, charging station, belt pouch, lanyard, USB power adapter, magnetic charging cable
Price (MSRP) in €	99,90	129,00
OPTIONAL ACCESSORIES		
more accessories on page 94	502255 Flexible Mount Type A	500958 Signal Cone 42mm



3x Xtreme LED

Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe)

4500 / 2600 / 1000 / 30

720 / 420 / 260 / 50

- / 2,5 / 4,5 / 70

4700 - 5500

70

1x Li-ion Batterypack 11,1V

33,3 / 3000

IP54

Yes

330

183

99

669 / 23,6

X-Lens Technology, Magnetic Charge System, Rapid Focus, Dimmable ,Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning

502188 / 4058205020725

1 battery set, lanyard, USB power adapter, magnetic charging cable

249,00

501508 Color Filter Red

-P18R WORK



- 01 X-Lens Technology precise synchronization of the beams from several reflector lenses to form an extremely homogeneous, stage-like floodlight or a very sharply bundled high beam
- 02 Protective elements on the lamp head and the end cap absorb impacts and increase slip resistance; the additional front lens cover protects the lens from scratching
- 03 Flicker-free flicker-free, constant light enables optimal and safe illumination of fast-moving parts and machines
- **04** Personalize the light functions thanks to the **Smart Light Technology**
- **05 Advanced Focus System** stepless focusing
- **06** Convenient and safe charging of the battery thanks to the **Magnetic Charge System**



WORK & PROFESSIONAL

(XX)

⁻⁷ Information on page 184

ACCESSORIES FLASHLIGHTS

P-SERIES WORK

LEDLENSER **C**←→**C** CONNECTING SYSTEM



MODEL	P2R W0RK	P4R W0RK	P5R W0RK	P6R W0RK	P7R W0RK	Item no.	MSRP (€)
Lamp Adapter Type A NEW	•	•				502248	4,90
Lamp Adapter Type B NEW			•			502249	4,90
Lamp Adapter Type C NEW				•		502250	4,90
Lamp Adapter Type D NEW					•	502251	4,90
GoPro Adapter Type D NEW	•	•	•	•	•	502246	7,90
Tripod Adapter Type D NEW	•	•	•	•	•	502247	9,90
Belt Clip Type A NEW	•	•	•	•	•	502253	6,90
Helmet Mount for Euroslot Type A NEW	•	•	•	•	•	502254	6,90
Flexible Mount Type A NEW	•	•	•	•	•	502255	14,90
Universal Mounting Bracket Type E NEW	•	•	•	•	•	502256	12,90

Lamp Adapter Type A-D

Mounting adapter (Requirement)

brackets and mounts.

The adapter enables the connection between flashlights and the versatile Ledlenser connecting system. Now the light is compatible with various additional accessory





Item no. 502246 **GoPro Adapter** Compatible with almost all GoPro systems and accessories 7,90 € (MSRP)

Item no. 502255 Flexible Mount

Flexible fastening system with magnet, adhesive pad and hole to screw on

14,90 € (MSRP)



Item no. 502254 **Helmet Mount for Euroslot** Hard hat mount for 30 mm Euroslot 6,90 € (MSRP)



Item no. 502256 **Universal Mounting Bracket** Stable universal fastening for rods 12,90 € (MSRP)



Item no. 502247 **Tripod Adapter** Tripod adapter 9,90 € (MSRP)



Item no. 502253 **Belt Clip Type A** Belt clip for lights and batteries 6,90 € (MSRP)

ACCESSORIES POWER SUPPLY



Item no. 0409 **Mounting Plate**

Mounting device (in Connection with charging station) with fastening loop for walls or in vehicles 5,90 € (MSRP)



Multiple sizes / item no's. **Charging Station**

professional charging station including magnetic charging cable, compatible with 5 station charging

12,90 € (MSRP)



Item no. 502261 **5 Station Charging Panel** Charge up to five compatible Ledlenser Lamps (requirement: matching charging station) 69,90 € (MSRP)



Item no. 502125 Powerbank Flex7

More information on page 40 54,90 € (MSRP)



MODEL	P2R W0RK	P4R W0RK	P5R W0RK	P6R W0RK	P7R WORK	P18R WORK	Item no.	MSRP (€)
Powerbank Flex3 NEW				•			502126	34,90
Powerbank Flex7 NEW				•			502125	54,90
Batterybox7 NEW				•			502128	29,90
Magnetic Charging Cable Type A NEW	•	•	•	•	•	•	502265	6,90
Wall Mount Type A NEW (including magnetic charging cable)				•			502257	9,90
Wall Mount Type B NEW (including magnetic charging cable)					•		502258	9,90
Charging Station Type A NEW (including magnetic charging cable)			•				502259	12,90
Charging Station Type B NEW (including magnetic charging cable)				•	•		502260	12,90
5 Station Charging Panel NEW			•	•	•		502261	69,90
USB Adapter 2.4A NEW	•	•	•	•	•	•	502271	14,90
USB Car Charger	•	•	•	•	•	•	0380	9,90
21700 Li-ion rechargeable battery 4800mAh NEW					•		502262	24,90
14500 Li-Ion rechargeable battery 750 mAh			•				500985	12,90
18650 Li-lon rechargeable Battery 3000 mAh				•			501001	24,90
Mounting Plate			•	•	•		0409	5,90



WORK & PROFESSIONAL

ACCESSORIES FLASHLIGHTS

P-SERIES WORK

POUCHES / FILTERS / MOUNTS AND MORE

MODEL	P2R WORK	P5R WORK	P6R W0RK	P7R W0RK	P18R W0RK	Item no.	MSRP (€)
Color Filter Blue 85.5mm					•	501507	24,90
Color Filter Red 85.5mm					•	501508	24,90
Color Filter Green 85.5mm					•	501509	24,90
Color Filter Yellow 85.5mm					•	501510	24,90
Signal Cone 42mm			•	•		500958	6,90
Signal Cone White 42mm			•	•		502244	9,90
Roll Protection 85,5mm					•	502242	14,90
Case Type A NEW			•	•		502263	24,90
Case Type B NEW			•	•		502264	29,90
Pouch Type 0			•	•		502268	9,90
Pouch Type D	•					0337	9,90
Pouch Type A		•				0333	9,90
Universal Mounting Bracket Type B		•	•	•		7799-PT	15,90
Universal Mounting System			•	•		0362	14,90



Item no. 501507 **Color Filter Blue** Color filter with roll protection. Blue improves e.g. the visibility of traces and liquids 24,90 € (MSRP)



Item no. 501508 **Color Filter Red** Color filter with roll protection. Red reduces e.g. reflections and maintains night vision 24,90 € (MSRP)



Item no. 501509 **Color Filter Green** Color filter with roll protection. Green is suitable, among other things for wildlife viewing 24,90 € (MSRP)



Item no. 501510 **Color Filter Yellow** Color filter with roll protection. Yellow improves i.e. the visibility in fog 24,90 € (MSRP)



Case Type A

Soft case transport bag: Inside there are elastic loops and a mesh pocket to attach the light, Powerbank, cables and other accessories. On the outside, a handle and loops for attachment to a belt or backpack ensure optimal portability. (Size 200mm x 135mm x

24,90 € (MSRP)



Case Type B

With this high-quality, fabric-covered hard case, the Ledlenser lamp and accessories are always safely stored and protected from dust and external influences. Inside there are elastic loops and a mesh pocket to stow the lamp, Powerbank and other accessories. (Size 200mm x 135mm x 72mm)

29,90 € (MSRP)



Item no.0362

Universal Mounting System

This universal mounting fixes flashlights with a diameter of 25-34 mm securely to tripods, rods and tubes in next to no time. The lamp and fixation are aligned in parallel.

14,90 € (MSRP)




Item no.7799-PT

Universal Mounting Bracket

With this stable universal mount, rod and headlamps can be attached to tripods or poles. A stable rubber ring is used for fixation included.

15,90 € (MSRP)











500981 4x AAA Alkaline Ionic

	i4	iL <mark>4</mark>
LED		
	1x Power LED	1x Power LED
III Light Functions	Power / Low Power	Power
-\(\frac{1}{2}\)- Luminous flux¹ (lm)	120 / 10	80
⊏ Beam Distance¹ (m)	80 / 20	50
(h) Run Time¹ (h)	4 / 20	4
BATTERY AND CASE		
■ Battery	2x Micro (AAA) Alkaline 1,5V	2x Micro (AAA) Alkaline 1,5V
■ Battery Capacity ² (Wh / mAh)	-	
(a) Rechargeable	No	No
Charging Time ⁵ (min)		
□ IP Level	IP54	IP66 and IP68
SIZE AND WEIGHT		
Head diameter (mm)	15	20
∠ Length (mm)	140	140
Weight incl. Battery (g / oz)	55 / 1,9	65 / 2,3
TECHNOLOGY		
Advanced Focus System	•	
More features	Energy Saving	
CERTIFICATION		
EX-Zone	-	2/22
Gas and dust groups	_	IIC / IIIC
Temperature class		T4/T135°C
PACKAGING		
Item no. Sleeve Box / GTIN	500753 / 4058205000635	500684 / 4058205000444
Contents Box	1 set of batteries, pocket clip	1 set of batteries
Price (MSRP) in €	34,90	34,90
OPTIONAL ACCESSORIES		
	500981 4x AAA Alkaline Ionic	500954 Helmet Mount Type A
	_	500955 Helmet Mount Type B
	_	500956 Intelligent Clip Type F







	recharge
LED	

iL <mark>7</mark>	iL7R	rect
1x Xtreme LED	1x Xtreme LED	
Power / Low Power	Power / Low Power	
340 / 70	360 / 55	
165 / 80	170 / 70	
7 / 37	6 / 40	
3x Mignon (AA) Alkaline 1,5V	1x Li-ion Batterypack 3,7V	
_	12 / 3250	
No	Yes	
_	570	
IP66 and IP68	IP66 and IP68	
41	41	
161	161	
232 / 8,2	228 / 8,0	

_	Charge Indicator
2/22	2/22
IIC / IIIC	IIC / IIIC
T4/T135°C	T4/T135°C
500838 / 4058205001304	501052 / 4058205008624
1 set of batteries, pocket clip	1 set of batteries, pocket clip, charging station, power supply
69,90	139,90

500957 Intelligent Clip Type G

500958 Signal Cone 42mm

500980 4x AA Alkaline Ionic

A	ADVANCED
B	FOCUS SYSTEM

- 01 Magnetic Switch for easy operation even with gloves
- 02 Advanced Focus System stepless focusing
- 03 Extreme dust and water protection (IP66 and IP68)
- 04 Comfortable to be charged using the charging cradle





500957 Intelligent Clip Type G

502261 5 Station Charging Panel

500958 Signal Cone 42mm

0386 Car Charger

more accessories on page 100

WORK & PROFESSIONAL

ACCESSORIESFLASHLIGHTS

HALTERUNGEN / BATTERYS AND MORE

MODEL	i4	iL4	iL7	iL7R	ltem no.	MSRP (€)
Signal Cone Orange 42 mm			•	•	500958	6,90
Car Charger				•	0386	19,90
5 Station Charging Panel				•	502261	69,90
Helmet Mount Type A		•			500954	19,90
Helmet Mount Type B		•			500955	19,90
Intelligent Clip Type F		•			500956	8,90
Intelligent Clip Type G			•	•	500957	8,90
4x AA Alkaline Ionic			•		500980	3,49
4x AAA Alkaline Ionic	•	•			500981	3,49



Item no. 500954 **Helmet Mount Type A**

The bracket fits most helmet models (max. 12 mm thick). The light beam can be flexibly aligned with the ball joint 19,90 € (MSRP)



Item no. 500955 Helmet Mount Type B

Bracket with the same concept as the Helmet Mount Type A, in which the light moves a little further up.

19,90 € (MSRP)





Item no. 500957

Intelligent Clip Type G

Belt clip for iL7 and iL7R with ball joint, can be aligned as required

8,90 € (MSRP)




Item no. 500956 Intelligent Clip Type F Belt clip for iL4 with ball joint, can be aligned as required

8,90 € (MSRP)

Item no. 502261

5 Station Charging Panel
Allows simultaneous
Charge up to five iL7Rs
69,90 € (MSRP)



WORK & PROFESSIONAL HEADLAMPS






















THE NEW H-SERIES

- 01 Extremely powerful, focusable work headlamp: high color rendering, neutral white light
- **02** Strong dust and water protection (IP67)
- 03 Flicker-free Flicker-free, constant light enables strobe-free illumination, for fast-moving parts and machines
- 04 Protective elements on the lamp head and the end cap absorb impacts and increase slip resistance; the additional front lens cover protects the lens from scratching
- **05** Intuitive operation and stepless dimming thanks to Wheel Switch on the lamp head
- **06** Stepless **swivel mechanism** for vertical alignment of the light cone
- **07 Ledlenser Connecting System** an interface for many accessories (see page 108)
- **08 Extensive accessories** for versatile use, e.g. mounting clips, focusing ring, belt clip, transparent silicone headband, extension cord
- **09** Convenient and safe charging of the battery thanks to the Magnetic Charge System









$\overline{\cap}$	LED-Configuration
ull	Light Functions
- \\(\c)-	Luminous flux¹ (lm)
⊲⇒	Beam Distance ¹ (m)
<u>(L)</u>	Run Time ¹ (h)
ľκ	Color temperature (K)
(CRI)	Color rendering index (CRI)
В	ATTERY AND CASE
<u> </u>	Battery
III-)ı	Battery Capacity ² (Wh / mAh)
ආ	IP Level
Φ	Rechargeable
<u>(L)</u>	Charging Time⁵ (min)
<u></u>	Drop height (m)
S	IZE AND WEIGHT
0	Head diameter (mm)
ğ	Weight incl. Battery (g / oz)
Т	ECHNOLOGY
	Multi-Core Optics
	Flex Sealing Technology
<u></u>	Magnetic Charge System
	Natural Light
	Advanced Focus System
	More features

PACKAGING

Item no. Box / GTIN

Contents Box

Price (MSRP) in €

OPTIONAL ACCESSORIES

more accessories on page 108







'R WORK 🕺 🖐 H15R V	H15R W
--------------------	--------

TISIN WORK	II/IN WORK	TITON WORK
1x High Power LED	1x Xtreme LED	1x Xtreme LED
Boost / Power / Low Power	Boost / Power / Low Power	Boost / Power / Low Power
500 / 300 / 15	1000 / 600 / 15	2500 / 1000 / 20
200 / 150 / 30	250 / 200 / 25	250 / 170 / 20
- / 2 / 45	- / 4 / 60	- / 4 / 70
3700 – 4400	3700 – 4400	3700 – 4400
80	90	90
1x Li-ion Batterypack 3,7V	1x 21700 Li-ion Battery 3,7V	1x Li-ion Batterypack 7,4V
6,66 / 1800	17,76 / 4800	35,52 / 4800
IP67	IP67	IP67
Yes	Yes	Yes
210	210	330
3	3	3
38	46	51
188 / 6,6	282 / 9,9	413 / 14,6
		•
•	•	•
•	•	•
	•	•
•	•	•
Flicker-free, Memory Mode, Backup	Cooling Technology, Temperature Control, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup , Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light	Mode, Backup Mode,Battery Indicator,
502194 / 4058205020992	502195 / 4058205021029	502196 / 4058205021050
1 battery set, magnetic charging cable, mounting clips, focusing ring, transparent silicone tape	1 battery set, magnetic charging cable, mounting clips, focusing ring, transparent silicone tape, extension cable, belt clip	1 battery set, magnetic charging cable, mounting clips, focusing ring, transparent silicone tape, extension cable, belt clip
89,90	119,00	189,00
502314 Helmet Connecting Kit Type H NEW	502262 21700 Li-lon Rech. Bat. NEW	502256 Universal Mounting Bracket NEW
502247 Tripod Adapter Type D NEW	502410 Bluetooth® Batterybox NEW	502411 Bluetooth® Batterybox NEW
	<u> </u>	171.6

¹⁻⁷ Information on page 184

THE NEW **H-SERIES SIGNATURE** ON PAGE **158**

THE NEW **H-SERIES CORE** ON PAGE **74**

ACCESSORIES HEADLAMPS

H-SERIES WORK

LEDLENSER CONNECTING SYSTEM



MODEL	H5R WORK	H7R WORK	H15R W0RK	Item no.	MSRP (€)
GoPro Adapter Type D NEW	•	•	•	502246	7,90
Tripod Adapter Type D NEW	•	•	•	502247	9,90
Belt Clip Type A NEW	•	•	•	502253	6,90
Helmet Connecting Kit H NEW	•	•	•	502314	14,90
Universal Mounting Bracket Type E NEW	•	•	•	502256	12,90



Multiple sizes / item no's. **Color Filter Set**

Four high quality color filters: Red maintains night vision. Green and red are among others suitable for wildlife viewing. Yellow improves visibility in fog. Blue improves the visibility of liquids

18,90 - 19,90 € (MSRP)



Item no. 502411

Bluetooth® 2x 21700 Batterybox

Upgrade to smart control: Bluetooth® Li-ion battery box for use with the Ledlenser Connect app or with the additional available remote control 59,90 € (MSRP)



Item no. 502312 **Extension Cable**

Practical extension cable (120 cm) that is plugged in between the lamp head and the battery box - so the battery can easily be stowed in the backpack

9,90 € (MSRP)



Item no. 502451

Transparent Silicone Headband

Elastic headband made of transparent silicone: Excellent grip, durability and easy to use. Due to the transparent material, safety-relevant information remains visible on the helmet 9,90 € (MSRP)

COLOR FILTERS / CABLES / BATTERIES AND MORE

		1	1		
MODEL	H5R W0RK	H7R W0RK	H15R W0RK	Item no.	MSRP (€)
Color Filter Set 32mm NEW	•			502307	18,90
Color Filter Set 40mm NEW		•		502308	18,90
Color Filter Set 47mm NEW			•	502309	19,90
Headband with Overheadband CORE NEW	•	•	•	502469	9,90
Headband with Overheadband WORK NEW	•	•	•	502470	9,90
Headband with Overheadband SIGNATURE NEW	•	•	•	502471	12,90
Helmet Band Fixing Clips Type A NEW	•	•	•	502313	4,90
Transparent Silicone Headband Type A NEW	•	•	•	502451	9,90
Magnetic Charging Cable Type A NEW	•	•	•	502265	6,90
Extension Cable Type C NEW		•	•	502312	9,90
USB Adapter 2.4A NEW	•	•	•	502271	14,90
21700 Li-ion Rechargeable Battery 4800mAh NEW		•		502262	24,90
4x AA Alkaline Ionic			•	500980	3,49
2x 21700 Li-ion Rechargeable Battery Pack NEW		•		502310	39,90
Wireless Remote Control Type A NEW (can only be used in conjunction with a Bluetooth® Batterybox (502410, 502411))		•	•	502311	34,90
Bluetooth® 21700 Batterybox NEW		•		502410	49,90
Bluetooth® 2x 21700 Batterybox NEW		•	•	502411	59,90



ACCESSORIES / NEW H-SERIES





2/22

iL-SERIES





iLH8

iLH8R	

LED		
△ LED-Configuration	1x Xtreme LED	1x Xtreme LED
Light Functions	Power / Low Power	Power / Low Power
-\(\bar{\cap}\)- Luminous flux\(\text{1}\) (lm)	280 / 60	300 / 50
□→ Beam Distance¹(m)	160 / 80	160 / 70
© Run Time ¹ (h)	9 / 38	7 / 40
BATTERY AND CASE		
— Battery	3x Mignon (AA) Alkaline 1,5V	1x Li-ion Batterypack 3,7V
Battery Capacity ² (Wh / mAh)	-	12 / 3250
(a) Rechargeable	No	Yes
Charging Time⁵ (min)	-	540
→ IP Level	IP66 und IP68	IP66 und IP68
SIZE AND WEIGHT		
Head diameter (mm)	41	41
Weight incl. Battery (g / oz)	345 / 12,2	342 / 12,1
TECHNOLOGY		
Advanced Focus System	•	•
More features	Rear Light	Charge Indicator, Rear Light
CERTIFICATION		
EX-Zone	2/22	2/22
Gas and dust groups	IIC / IIIC	IIC / IIIC
Temperature class	T4/T135°C	T4/T135°C
PACKAGING		
Item no. Sleeve Box / GTIN	501019 / 4058205007474	501074 / 4058205008808
Contents Box	1 set of batteries, Battery Cartridge	1 set of batteries, charging station, power supply
Price (MSRP) in €	69,90	139,90
OPTIONAL ACCESSORIES		
	501595 Silicone Headband Type A	501595 Silicone Headband Type A
	500980 4x AA Alkaline Ionic	502261 5 Station Charging Panel
		0386 Car Charger

1-7 Information on page 184

ROBUST LIGHT SOURCES FOR SAFE WORK CONDITIONS



The industrial lights of the iL-series are specifically developed for work under harsh conditions. The lamps have maximum dust protection, are waterproof and also have explosion protection for EX-zone 2/22.

Therefore, they are particularly suitable for areas in which explosive atmospheres can occasionally occur or occupational safety regulations dictate that EX-protected lamps must be available.

Even when EX-protection is not required, these headlamps are great for work.



—iH-SERIES





iH5	iH5R
-----	------

	11 10	11 1011
LED		
△ LED-Configuration	1x High Power LED	1x High Power LED
Light Functions	Power / Low Power	Power / Low Power
-\(\hat{\chi}\)- Luminous flux¹ (lm)	200 / 20	400 / 20
□⇒ Beam Distance¹(m)	130 / 40	180 / 40
© Run Time¹ (h)	4,5 / 35	4 / 35
BATTERY AND CASE		
■ Battery	1x Mignon (AA) Alkaline 1,5V	1x 14500 Li-ion Battery 3,7V
Battery Capacity ²	-	2,77 / 750
Rechargeable	No	Yes
Charging Time ⁵ (min)	-	150
P IP Level	IP54	IP54
SIZE AND WEIGHT		
Head diameter (mm)	31	31
Weight incl. Battery (g / oz)	92 / 3,2	98 / 3,5
TECHNOLOGY		
Magnetic Charge System		•
Smart Light Technology	•	•
Rapid Focus	•	•
Dual Power Source	•	•
Temperature Control		
Advanced Focus System	•	•
More features	Low Battery Warning, Mounting System	Low Battery Warning, Battery Indicator,

PACKAGING		
Item no. Box / GTIN	502024 / 4058205015998	502025 / 4058205016025
Item no. Blister / GTIN	-	-
Contents Box	1 set of batteries	1 set of batteries, magnetic charging cable, helmet mount
Price (MSRP) in €	29,90	49,90
OPTIONAL ACCESSORIES		
	500985 14500 Li-ion rech.battery	0380 USB Car Charger
	500986 Charging Station	502220 Helmet Connecting Kit Type D
	502220 Helmet Connecting Kit Type D	500985 14500 Li-ion rech.battery
	502223 Helmet Connecting Kit Type G	500986 Charging station
more accessories on page 116		502093 Powercase NEW

1-7 Information on page 184

Charge Indicator, Mounting System



















- 03 Advanced Focus System stepless focusing
- **04** Stepless **swivel mechanism** for vertical alignment of the light cone
- 05 Additionally red light, green light and blue light
- **06** Various **mounting options** on helmets
- **07 Magnetic holder** to turn the iH11R into a hands
- **08** Convenient and safe charging of the battery thanks to the Magnetic Charge System








LED		
△ LED-Configuration	1x Xtreme LED	1x Xtreme LED
때 Light Functions	Boost / Power / Mid Power / Low Power (+ Blink)	Boost / Power / Mid Power / Low Power (+ Blink, S.O.S., Strobe)
-\(\overline{\cappa}\)- Luminous flux¹(lm)	600 / 400 / 170 / 20	1000 / 750 / 300 / 10
□→ Beam Distance¹ (m)	200 / 180 / 120 / 40	320 / 300 / 200 / 30
© Run Time¹ (h)	- / 7 / 10 / 60	_ / 4 / 8 / 100
BATTERY AND CASE		
■ Battery	1x Li-ion Batterypack 3,7V	1x 18650 Li-ion Battery 3,6V
Battery Capacity ² (Wh / mAh)	5,73 / 1550	11,52 / 3200
(a) Rechargeable	Yes	Yes
Charging Time ⁵ (min)	270	420
P Level	IP54	IP54
SIZE AND WEIGHT		
Head diameter (mm)	31	40
Weight incl. Battery (g / oz)	139 / 4,9	179 / 6,3
TECHNOLOGY		
Magnetic Charge System	•	•
Smart Light Technology	•	•
Rapid Focus	•	•
Dual Power Source	•	
Advanced Focus System	•	•
Cooling Technology	•	•
Optisense Technology		•
More features	Energy Saving, Constant Light, Low Battery Warning, Charge Indicator, Battery Indicator, Transportation Lock, Red Light, Green Light, Blue Light	Energy Saving, Constant Light, Low Battery Warning, Charge Indicator, Battery Indica- tor, Transportation Lock, Dimmable, Red Light, Green Light, Blue Light, Bluetooth®, Memory Mode
PACKAGING		
Item no. Box / GTIN	502023 / 4058205015967	502022 / 4058205015936
Contents Box	1 battery set, magnetic charging cable, helmet mount	1 battery set, magnetic holder, belt pouch, helmet mount, magnetic charging cable, extended mounting set
Price (MSRP) in €	79,90	169,00
OPTIONAL ACCESSORIES		
	502221 Helmet Connecting Kit Type E	502126 Powerbank Flex3 NEW
more accessories on page 116	502093 Powercase NEW	501001 18650 Li-ion rech.Battery 3200 mAh



WORK & PROFESSIONAL

ACCESSORIES HEADLAMPS



Multiple sizes / item no's. Helmet Connecting Kit Type D, E, F

Simple helmet holder for front attachment to the helmet with an adhesive

9,90 € (MSRP)








Item no. 502223 Helmet Connecting Kit Type G Helmet holder for attaching the head-

lamp to the helmet using a rubber band and plastic clips or adhesive pad 14,90 € (MSRP)





Item no. 502052 Universal Mounting Bracket Type D Universal bracket for attaching headlamps to cylindrical objects with a diameter of 14mm to 32mm



ACCESSORIES POWER SUPPLY / BRACKETS AND MORE

MODEL	iLH8	iLH8R	iH5	iH5R	iH9R	iH11R	Item no.	MSRP (€)
Powercase NEW				•	•		502093	49,90
Powerbank Flex3 NEW						•	502126	34,90
Powerbank Flex7 NEW						•	502125	54,90
Batterybox7 NEW						•	502128	29,90
Helmet Connecting Kit Type D			•	•			502220	9,90
Helmet Connecting Kit Type E					•		502221	9,90
Helmet Connecting Kit Type F						•	502222	9,90
Helmet Connecting Kit Type G			•	•	•	•	502223	14,90
Helmet Band Fixing Clips Type A NEW			•	•	•	•	502313	4,90
Universal Mounting Bracket Type D						•	502052	19,90
Silicone Headband Type A	•	•					501595	9,90
5 Station Charging Panel		•					502261	69,90
Car Charger		•					0386	19,90
USB Car Charger				•	•	•	0380	9,90
USB Power Supply and Micro-USB Cable				•	•	•	0389	14,90
USB Adapter 2.4A				•	•	•	502271	14,90
18650 Li-ion Rechargeable Battery 3,6V 3000 mAh						•	501001	24,90
4x AA Alkaline Ionic		•	•	•	•		500980	3,49
Li-ion Rechargeable Battery Pack 3,7V 1550 mAh					•		500987	17,90
14500 Li-ion rechargeable battery 750 mAh			•	•			500985	12,90
Charging station &14500 li-ion rechargeable battery			•	•			500986	18,90







Item no. 502126 Powerbank Flex3 More information on page 40 34,90 € (MSRP)



Item no. 502125 Powerbank Flex7 More information on page 40 54,90 € (MSRP)



19,90 € (MSRP)

WORK & PROFESSIONAL WORKLIGHTS















PORTABLE ILLUMINATING POWER FOR ANY APPLICATION







iW2R

LED

△ LED-Configuration

(L) Run Time Flood¹ (h) -\(\) - Luminous flux Spot1 (lm)

(L) Run Time Spot1 (h)

Rechargeable Charging Time⁵ (min)

SIZE AND WEIGHT

Weight incl. Battery (g / oz)

√ W / H / D (mm)

FEATURES

PACKAGING

Contents Box

Item no. Box / GTIN

Price (MSRP) in €

OPTIONAL ACCESSORIES

■ Battery

P Level

-\(\) - Luminous flux Flood¹ (lm)

BATTERY AND CASE

Battery Capacity 2 (Wh / mAh)

Ill Light Functions

iW2R laser

iW3R

1x COB LED (Flood), 1x Power LED (Spot)	1x COB LED (Flood), 1x Laserpointer rot (650 nm)	1x Power LED (Spot)
Power / Low Power	Power / Low Power	Power / Low Power
150 / 75	150 / 75	-
1,5 / 3	1,5 / 3	-
100	Laser <1mW	320 / 30
1,5	-	3,5 / 40

Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)
2,78 / 750	2,78 / 750	14,8 / 4000
Yes	Yes	Yes
180	180	300
IP20	IP20	IP54
18 / 164 / 16	18 / 164 / 16	32 / 122 / 32
50 / 1,8	50 / 1,8	143 / 5,0

- 2-in-1 function: COB LED for wide flat 2-in1 function: laser pointer and COB- Powerbank with 4000 mAh battery illumination and spot LED for focused
- Pen lamp: Rectangular
- Rounded metal housing with ruler function
- Extremely compact format and lightweight
- Rechargeable Lithium-ion battery
- Clip for attaching the lamp on the breast pocket

- LED for wide area illumination
- Pen lamp: Rectangular
- Rounded metal housing with ruler function
- Extremely compact format and lightweight
- Rechargeable Lithium-ion battery
- Clip for attaching the lamp on the breast pocket
- capacity
- Flashlight with spotlight
- Battery and Charge indicator
- Two dimming levels
- Covered connections, dust and water protected with IP54 rating

502082 / 4058205017824	502083 / 4058205017855	502173 / 4058205020176
USB cable	USB cable	USB cable
34,90	34,90	29,90
0380 USB Car Charger	0380 USB Car Charger	0380 USB Car Charger
502271 USB Adapter 2.4A	502271 USB Adapter 2.4A	502271 USB Adapter 2.4A











– Magnetic hook for fixing

– Battery and charging level indicator



FLEXIBLE WORK LIGHTS WITH TWO LIGHT SOURCES







	1774N	TWOK ITEX
LED		
△ LED-Configuration	1x COB LED (Flood), 1x Power LED (Spot)	1x COB LED (Flood), 1x Power LED (Spot)
Light Functions	Power / Low Power (Flood)	Power / Low Power (Flood)
-\rac{\dagger}{-} Luminous flux Flood¹ (lm)	150 / 75	600 / 250
L Run Time Flood¹ (h)	2 / 4	2 / 4
-\(\hat{-}\)- Luminous flux Spot¹ (lm)	75	100
(L) Run Time Spot ¹ (h)	2	6,5
BATTERY AND CASE		
	Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)
Battery Capacity ² (Wh / mAh)	2,8 / 750	9,6 / 2600
Rechargeable	Yes	Yes
Charging Time⁵ (min)	150	240
P Level	IP54	IP52
SIZE AND WEIGHT		
_ ⁷ W / H / D (mm)	27 / 157 / 20	40 / 151 / 32
Weight incl. Battery (g / oz)	72 / 2,5	220 / 7,8
FEATURES		
	 Tilt mechanism for flexible align 2 light sources (spot and flood) Mounting magnet Battery level indicator Charge indicator 	 Fold-out lamp head 2 light sources (spot and flood) Hook and mounting magnet Battery level indicator Charge indicator

PACKAGING		
Item no. Box / GTIN	502003 / 4058205016261	502006 / 4058205016353
Contents Box	USB cable	USB cable, USB power adapter
Price (MSRP) in €	39,90	79,90
OPTIONAL ACCESSORIES		
	0380 USB Car Charger	0380 USB Car Charger
	502271 USB Adapter 2.4A	502271 USB Adapter 2.4A



1-7 Information on page 184













LED

△ LED-Configuration

Ill Light Functions

-\(\overline{\text{\scale}}\)- Luminous flux Flood¹ (lm)

(L) Run Time Flood¹ (h)

-\(\sum_1\)- Luminous flux Spot¹ (lm)

(L) Run Time Spot1 (h)

BATTERY AND CASE

□ Battery

Battery Capacity 2 (Wh / mAh)

(a) Rechargeable

Charging Time⁵ (min)

○ IP Level

SIZE AND WEIGHT

✓ W / H / D (mm)

Weight incl. Battery (g / oz)

FEATURES

PACKAGING

Item no. Box / GTIN

Contents Box

Price (MSRP) in €











1x COB LED (Flood), 1x Power LED (Spot)	1x COB LED (Flood)
Power / Low Power (Flood)	Five light levels
200 / 100	1000 / 750 / 500 / 250 / 100
3 / 6	1,5 / 2 / 3 / 5 / 15
75	-
4	

Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)
5,9 / 1600	14,8 / 4000
Yes	Yes
180	300
IP54	IP54

115 / 21 / 48	36 / 140 / 71
88 / 3,1	392 / 13,8

- Mini floodlights with floodlight and additional spotlight
- Flexible attachment and alignment thanks to the movable stand, Magnet and hook
- Easy charging with the robust Magnetic Charge System Small and handy
- Three light levels (2x flood, 1x spot)
- Small floodlights with outstanding light output
- Flexible attachment and alignment thanks to the movable stand, magnet and hook
- Easy charging with the robust
 - Magnetic Charge System
- Cooling Technology for long-term operation without overheating
- Five levels of light

502170 / 4058205020206	502171 / 4058205020237
USB cable	USB power supply, magnetic charging cable
49,90	89,90
502265 Magnetic Charging Cable Type A	502265 Magnetic Charging Cable Type A
502271 USB Adapter 2.4A	502271 USB Adapter 2.4A
0380 USB Car Charger	0380 USB Car Charger
	-

1-7 Information on page 184







- **01** Floodlight
- **02** Spotlight
- **03** Magnetic hook for fixing
- **04** Battery and charging level indicator
- **05** Magnetic Charge System







÷÷ 2500 lm¹ — 15 h¹ —



Bluetooth®



- 02 Five brightness settings
- 03 Built-in magnet for easy attachment to metal surfaces (e.g. steel beams)
- 04 Easy charging via Magnetic Charge System
- 05 Large, tough handle for easy transport
- 06 Multifunctional Switch for quick and easy control of individual light functions










Bluetooth®

- 01 Rechargeable
- 02 App-controlled: with the app, up to four lamps can be remotely controlled
- 03 Powerbank function
- 04 Built-in magnet for easy attachment
- 05 Cooling Technology efficient cooling element for a long life and optimum performance
- 06 Five brightness levels
- 07 Multifunctional Switch for quick and easy control of individual light functions
- **08** Chip-on-board-Technology
- 09 Easy to transport thanks to the large, robust handle







ULTRA BRIGHT WORK-SITE FLOODLIGHTS WITH POWERBANK FUNCTION OR MUSIC BOX





IF4R	iF4R music	IF8R
1x 34W COB LED	1x 34W COB LED	1x 66W COB LED
Five light levels	Five light levels	Five light levels
2500 / 1500 / 1000 / 500 / 200	2500 / 1500 / 1000 / 500 / 200	4500 / 3000 / 2000 / 1000 / 400
1,3 / 2 / 3 / 6 / 15	1,3 / 2 / 3 / 6 / 15	1,25 / 1,5 / 2,5 / 5 / 12
Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)	Li-ion Battery 3,7V (intern)
29,6 / 8000	29,6 / 8000	44,4 / 4000
Yes	Yes	Yes
240	360	240
IP54	IP54	IP54
235 / 111 / 44	235 / 110 / 47	307 / 142 / 44
1060 / 37,4	1139 / 40,2	1740 / 61,4
	•	
•		•
•		•
Charge Indicator, Battery Indicator, Magnet, Stand	Charge Indicator, Battery Indicator, Transportation Lock, Bluetooth® Speaker, Magnet, Magnetic Charge System	Charge Indicator, Battery Indicator, Bluetooth®, Magnet, Stand
502001 / 4058205016209	502172 / 4058205020268	502002 / 4058205016230
USB cable, USB power supply	USB power supply, magnetic charging cable	Power adapter
139,00	189,00	199,00
502271 USB Adapter 2.4A	502265 Magnetic Charging Cable Type A	
0380 USB Car Charger	502271 USB Adapter 2.4A	-

0380 USB Car Charger



LED

LED-Configuration
Light Functions

-\(\delta' - \delta' \)
Luminous flux (lm)

(L) Run Time¹ (h)

Rechargeable
Charging Time⁵ (min)

SIZE AND WEIGHT

W/H/D (mm)

TECHNOLOGYN

Weight incl. Battery (g / oz)

Magnetic Charge System
Powerbank Function
Cooling Technology
More features

■ Battery

P Level

BATTERY AND CASE

■ Battery Capacity ² (Wh / mAh)

Item no. Box / GTIN

Contents Box

Price (MSRP) in €

OPTIONAL ACCESSORIES





FOR MAXIMUM SAFETY AT THE WORKPLACE

If you work in explosive environments, safety is extremely important when it comes to using electronics.

Ledlenser EX- and iL-series lights meet these standards in every aspect. Designed specifically for contact with explosive gases, vapors and dust in the best possible groups IIC and IIIC. They feature maximum dust protection, are protected from water and ATEX and IECEx approved.

Yet both lines - in compliance with the ATEX operating directives - are designed for different types of explosion hazards.

The EX-series is suitable for use in areas where explosive atmospheres are frequentlypresent (zones 0, 1, 20 or 21) and the iL-series (more on page 98 and 110) for zones 2/22². So you'll find the perfect lamp for any environment.

EXAMPLE FIELDS OF APPLICATION:

- Oil and gas drilling rig
- Gas, oil and coal-fired power plant
- Chemical park
- Storage site for oil and gas
- Petrol station and road tankers
- Sewerage and sewage treatment plant
- Paint shop and car repair shop
- Pharmaceutical factory
- Food factory
- Distillery
- Sawmill
- u.v.m.




^{*}Depending on gases and/or dust present.

WE OFFER THE BEST LAMP FOR EVERY ENVIRONMENT:

A glance at the ATEX Directive of the European Union

From oil and gas production facilities to chemical plants and distilleries as well as sawmills and bakeries: The so-called ATEX Directive applies to all businesses within the EU, in which explosive atmospheres can arise due to gas or dust. At the same time, the work areas are divided into zones according to the frequency and duration of the risk of explosion.





A place in which an explosive atmosphere consisting of a mixture with air of dangerous substances in the form of gas, vapor or a cloud of combustible dust is continuously present for long periods or frequently (e.g. in gas

tanks or grain elevators)

Working areas in which explosive atmospheres in the form of flammable gases, vapors or dust clouds prevail occasionally.

ZONE 2/22

Working areas in which explosive atmospheres in the form of flammable gases, vapors or dust clouds (e.g. in case of a gas leak) usually do not prevail / prevail only for a short time.



EXTRIPED TO STORE THE PROPERTY OF THE PROPERTY







- **02 Magnetic Switch** for easy operation with gloves and protective equipment
- 03 Dustproof and protected against powerful water jets (IP66 and IP68)
- 04 Advanced Focus System stepless focusing
- 05 Rechargeable via charging cradle

ADVANTAGE IS A MATTER OF TECHNOLOGY






















GIT SICHERHEIT

AWARD

2021 FINALIST









EX4	EX7
-----	-----

LED		
	1x Power LED	1x Power LED
Light Functions	Power	Power / Low Power
-\rightarrow	50	200 / 60
□→ Beam Distance¹ (m)	35	120 / 70
© Run Time ¹ (h)	7	16 / 45
BATTERY AND CASE		
■ Battery	2x Micro (AAA) Alkaline 1,5V	3x Mignon (AA) Alkaline 1,5V
Battery Capacity ²	-	-
(†) Rechargeable	No	No
Charging Time ⁵ (min)	-	-
P Level	IP66 and IP68	IP66 and IP68
SIZE AND WEIGHT		
Head diameter (mm)	20	41
Length (mm)	140	161
Weight incl. Battery (g / oz)	65 / 2,3	232 / 8,2
TECHNOLOGY		
Advanced Focus System	•	•
More features		-
CERTIFICATION		
EX-Zone	0/20	0/20
Gas group	IIA,IIB,IIC	IIA,IIB,IIC
Dust group	IIIA,IIIB,IIIC	IIIA,IIIB,IIIC
Temperature class	T4/T ₂₀₀ 135°C	T4/T ₂₀₀ 135°C
PACKAGING		
Item no. Sleeve Box / GTIN	500682 / 4058205000437	500836 / 4058205001243
Contents Box	1 set of batteries	1 set of batteries, belt clip, Intelligent clip
Price (MSRP) in €	39,90	89,90
OPTIONAL ACCESSORIES		
	500954 Helmet Mount Type A	500957 Intelligent Clip Type G
	500955 Helmet Mount Type B	500958 Signal Cone 42mm
	500956 Intelligent Clip Type F	
more accessories on page 142		







EXH8

EX7R	EXH <mark>8</mark>	EXH8R
1x Power LED	1x Power LED	1x Power LED
Power / Low Power	Power / Low Power	Power / Low Power
220 / 50	180 / 50	200 / 45
140 / 65	120 / 65	130 / 60
10 / 45	15 / 40	10 / 45
1x Li-ion Batterypack 3,7V	3x Mignon (AA) Alkaline 1,5V	1x Li-ion Batterypack 3,7V
12 / 3250	-	12 / 3250
Yes	No	Yes
660	-	660
IP66 and IP68	IP66 and IP68	IP66 and IP68
41	41	41
161		
228 / 8,0	345 / 12,2	342 / 12,1
•	•	•
Charge Indicator	Rear Light	Charge Indicator, Rear Light
1/21	0/20	1/21
IIA,IIB,IIC	IIA,IIB,IIC	IIA,IIB,IIC
IIIA,IIIB,IIIC	IIIA,IIIB,IIIC	IIIA,IIIB,IIIC
T4/T135°C	T4/T ₂₀₀ 135°C	T4/T135°C
500837 / 4058205001274	501017 / 4058205007412	501018 / 4058205007443
1 set of batteries, belt clip, intelligent clip, charging station, power supply	1 set of batteries, Battery Cartridge	1 set of batteries, charging station, power supply
169,90	89,90	169,90
500957 Intelligent Clip Type G	501595 Silicone Headband Type	501595 Silicone Headband Type
500958 Signal Cone 42mm		502261 5 Station Charging Panel
502261 5 Station Charging Panel		0386 Car Charger
0386 Car Charger		



WORK & PROFESSIONAL

ACCESSORIES

— EX-FLASHLIGHTS

MODEL	EX7	EX7R	EX4	Item no.	MSRP (€)
Signal Cone Orange 42 mm	•	•		500958	6,90
Car Charger		•		0386	19,90
5 Station Charging Panel		•		502261	69,90
Helmet Mount Type A			•	500954	19,90
Helmet Mount Type B			•	500955	19,90
Intelligent Clip Type F			•	500956	8,90
Intelligent Clip Type G	•	•		500957	8,90





-EX-HEADLAMPS

MODEL	EXH8	EXH8R	ltem no.	MSRP (€)
Car Charger		•	0386	19,90
5 Station Charging Panel		•	502261	69,90
Silicone Headband Type A			501595	9,90

Item no. 500957 Intelligent Clip Type G Belt clip for EX7 and EX7R with ball joint, can be any way aligned 8,90 € (MSRP)



Item no. 500954

Helmet Mount Type A
The bracket fits most helmet models (max. 12 mm thick). The light beam can be flexibly aligned using the ball joint. Suitable for the EX4 penlamp , 19,90 € (MSRP)






Item no. 500955 **Helmet Mount Type B** Bracket with the same concept as the Helmet Mount Type A, in which the lamp moves a little further up. Suitable for the EX4 penlamp

19,90 € (MSRP)



















- P7R SIGNATURE





PERFECT HIGH-END LIGHT













- 01 Powerful premium flashlight with natural color rendering (80 CRI / 6500K)
- **02 Mode Switch** for direct access to personalized light functions thanks to Smart Light Technology
- **03** Additional **Red secondary light** on the side of the housing, e.g. to maintain the night vision in the dark
- **04 Hard-anodized housing material** for additional protection against wear and corrosion
- 05 Extreme dust and water protection (IP68)
- 06 Flex Sealing Technology can be used for a short time underwater (including the focusing system) to a depth of one
- **07** Personalize the light functions thanks to **Smart Light Technology**
- **08 Constant Light** consistent level of brightness over time
- 09 Integrated battery and charge status display



FLASHLIGHTS / NEW P-SERIES

OUTDOOR & SPORTS (41)

MAXIMUM PERFORMANCE IN A CLASSY DESIGN













P6R SIGNATURE

	I OIL SIGIVATORE	1 / It SIGH (I GIVE
LED		
	1x Xtreme LED, (1x red LED)	1x Xtreme LED, (1x red LED)
Ill Light Functions	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe, Red light)	Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe, Red light)
-\(\hat{-}\) Luminous flux¹ (lm)	1400 / 1100 / 450 / 15	2000 / 1200 / 500 / 15
□→ Beam Distance¹(m)	240 / 190 / 110 / 20	330 / 200 / 130 / 20
© Run Time ¹ (h)	- / 1,25 / 2,5 / 60	- / 2 / 3,25 / 90
Color temperature (K)	6000 - 7500	6000 - 7500
(R) Color rendering index (CRI)	80	80
BATTERY AND CASE		
■ Battery	1x 18650 Li-ion Battery 3,6V	1x 21700 Li-ion Battery 3,7V
Battery Capacity ² (Wh / mAh	10,89 / 3000	17,76 / 4800
□ IP Level	IP68	IP68
(a) Rechargeable	Yes	Yes
Charging Time ⁵ (min)	225	270
□ Drop height (m)	2	2
SIZE AND WEIGHT		
∠ Length – defocused (mm)	151	158
Head diameter (mm)	35	35
Weight incl. Battery (g / oz)	170 / 6,0	202 / 7,1
TECHNOLOGY		
Smart Light Technology	•	•
Flex Sealing Technology	•	•
Magnetic Charge System	•	•
Multi-Core Optics	•	•
Advanced Focus System	•	•
More features	gency Light, Temperature Control, Dim-	Red Alternate Light, Mode Switch, Emergency Light, Temperature Control, Dimmable, Transportation Lock, Flicker-free, Memory Function, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning
PACKAGING		
Item no. Box / GTIN	502189 / 4058205020756	502190 / 4058205020787
Contents Box	1 set of batteries, leather belt pouch, lanyard, magnetic charging cable, pocket clip, USB power adapter, wall bracket	1 set of batteries, leather belt pouch, lanyard, magnetic charging cable, pocket clip, USB power adapter, wall bracket
Price (MSRP) in €	129,00	159,00
OPTIONAL ACCESSORIE	S	
more accessories on page 150	502250 Lamp Adapter Type C	502251 Lamp Adapter Type D



P18R SIGNATURE

2~	Xtreme	IED

Boost / Power / Mid Power / Low Power (+ Position, Blink, S.O.S., Strobe) 4500 / 2600 / 1000 / 30

720 / 420 / 260 / 50

- / 2,5 / 4,5 / 70

6000 - 7200

70

1x Li-ion Batterypack 11,1V

33,3 / 3000

IP54

Yes

330

171

86

637 / 22,5

X-Lens Technology, Rapid Focus, Dimmable ,Transportation Lock, Flicker-free, Memory Function, Backup Mode, Emergency Light, Battery Indicator, Charge Indicator, Low Battery Warning

502191 / 4058205020817

1set of batteries, lanyard, USB power adapter, magnetic charging cable

249,00

501508 Color Filter Red 85.5mm

P-SERIES





THE NEW **P-SERIES CORE** FROM PAGE **52**

THE NEW **P-SERIES WORK** FROM PAGE **88**

ACCESSORIESFLASHLIGHTS

P-SERIES SIGNATURE

LEDLENSER CONNECTING SYSTEM



MODEL	P6R SIGNATURE	P7R SIGNATURE	Item no.	MSRP (€)
Lamp Adapter Type C NEW	•		502250	4,90
Lamp Adapter Type D NEW		•	502251	4,90
GoPro Adapter Type D NEW	•	•	502246	7,90
Tripod Adapter Type D NEW	•	•	502247	9,90
Belt Clip Type A NEW	•	•	502253	6,90
Helmet Mount for Euroslot Type A NEW	•	•	502254	6,90
Flexible Mount Type A NEW	•	•	502255	14,90
Universal Mounting Bracket Type E NEW	•	•	502256	12,90

Lamp Adapter Type A-D

Mounting adapter (Requirement)

The adapter enables the connection between flashlights and the versatile Ledlenser connecting system.

Now the light is compatible with various additional accessory brackets and mounts.



Item no. 502246
GoPro Adapter
Compatible with almost all GoPro systems
and accessories

7,90 € (MSRP)

Item no. 502255 Flexible Mount

Flexible fastening system with magnet, adhesive pad and hole to screw on 14,90 € (MSRP)

Diverse Item no. 4,90 € (MSRP)



Item no. 502254

Helmet Mount for Euroslot

Helmet mount for 30 mm

Euroslot 6,90 € (MSRP)



Item no. 502256

Universal Mounting Bracket

Stable universal fastening for rods 12,90 € (MSRP)



Item no. 502247

Tripod Adapter

Tripod adapter

9,90 € (MSRP)



Item no. 502253

Belt Clip Type A

Practical belt clip for
flights and batteries 6,90 € (MSRP)



ltem no. 502126

Powerbank Flex3

More information on page 40

34,90 € (MSRP)



Item no. 502125

Powerbank Flex7

More information on page 40
54,90 € (MSRP)



Item no. 502128

Batterybox7

More information on page 40
29,90 € (MSRP)



Diverse Item no.

Charging Station

professional charging station
Including magnetic charging cable,
compatible with 5 Station Charging
Panel
12,90 € (MSRP)

ing



Charge up to five compatible Ledlenser Lamps (requirement: suitable charging station)
69,90 € (MSRP)



ACCESSORIES POWER SUPPLY

MODEL	P6R SIGNATURE	P7R SIGNATURE	P18R SIGNATURE	Item no.	MSRP (€)
Powerbank Flex3 NEW	•			502126	34,90
Powerbank Flex7 NEW	•			502125	54,90
Batterybox7 NEW	•			502128	29,90
Magnetic Charging Cable Type A NEW	•	•	•	502265	6,90
Wall Mount Type A NEW (including magnetic charging cable)	•			502257	9,90
Wall Mount Type B NEW (including magnetic charging cable)		•		502258	9,90
Charging Station Type B NEW (including magnetic charging cable)	•	•		502260	12,90
5 Station Charging Panel NEW	•	•		502261	69,90
USB Adapter 2.4A NEW	•	•	•	502271	14,90
USB Car Charger	•	•	•	0380	9,90
21700 Li-ion rechargeable battery 4800mAh NEW		•		502262	24,90
18650 Li-ion rechargeable Battery 3000 mAh	•			501001	24,90



(41)

ACCESSORIES FLASHLIGHTS

P-SERIES SIGNATURE

POUCHES / FILTERS / HOLDERS AND MORE

MODEL	P6R SIGNATURE	P7R SIGNATURE	P18R SIGNATURE	Item no.	MSRP (€)
Color Filter Set 35.1mm	•	•		502238	19,90
Color Filter Blue 85.5mm			•	501507	24,90
Color Filter Red 85.5mm			•	501508	24,90
Color Filter Green 85.5mm			•	501509	24,90
Color Filter Yellow 85.5mm			•	501510	24,90
Signal Cone 35.1mm	•	•		502237	9,90
Signal Cone White 35.1mm	•	•		502243	9,90
Roll Protection 85,5mm			•	502242	14,90
Case Type A NEW	•	•		502263	24,90
Case Type B NEW	•	•		502264	29,90
Pouch Type G	•	•		0342	9,90
Leather Pouch Type D	•	•		502269	19,90
Universal Mounting Bracket Type B	•	•		7799-PT	15,90
Universal Mounting System	•	•		0362	14,90



Diverse Item no. Color filter

one color each Color filter with roll protection. Red reduces e.g. Reflections and maintains

night vision. Green and red are among others suitable for wildlife viewing. Yellow improves visibility in fog. Blue improves the visibility of traces and liquids

24,90 € (MSRP)

Item no. 0362 **Universal Mounting System**

This universal mounting fixes flashlights with a diameter of 25-34 mm securely to tripods, rods and tubes in next to no time. The light and fixation are aligned in parallel

14,90 € (MSRP)



Case Type A

Soft case transport bag: Inside there are elastic loops and a mesh pocket to attach the lamp, Powerbank, cables and other accessories. On the outside, a practical handle and loops for attachment to a belt or backpack ensure optimal portability. (Size 200mm x 135mm x 72mm)

24,90 € (MSRP)



Case Type B

With this high-quality, fabric-covered hard case, the Ledlenser lamp and accessories are always safely stored and protected from dust and external influences. Inside there are elastic loops and a mesh pocket to stow the lamp, Powerbank and other accessories. (Size 200mm x 135mm x 72mm)

29,90 € (MSRP)




Item no. 502238 **Color Filter Sets** Color filter set 19,90 € (MSRP)



Item no. 502269 **Leather Pouch** leather pouch 19,90 € (MSRP)



D14.2



01 – For left and right-handers: 2-way Magnet Switch

02 – Shock and corrosion-resistant protects it as well as water proof casing



D14.2

LED	
	1x High Power LED
Ill Light Functions	Power / Low Power
-\(\hat{\chi}\)- Luminous flux¹(lm)	400 / 60
□→ Beam Distance¹(m)	200 / 80
C Run Time ¹ (h)	2 / 15
BATTERY AND CASE	
— Battery	4x Mignon (AA) Alkaline 1,5V
Battery Capacity 2 (Wh / mAh)	
(a) Rechargeable	No
Charging Time⁵ (min)	
P Level	IPX8
SIZE AND WEIGHT	
∠¹ Length (mm)	161,5
Head diameter (mm)	42
Weight incl. Battery (g / oz)	233 / 8,2
TECHNOLOGY	
Temperature Control	•
More features	Constant Light, Low Battery Warning
PACKAGING	
Item no. Box / GTIN	9114 / 4029113911405
Item no. Blister / GTIN	9214 / 4029113921459
Contents (Box)	1 set of batteries, lanyard
Price (MSRP) in €	69,90
OPTIONAL ACCESSORIES	
	500958 Signal Cone 42mm
	500980 4x AA Alkaline Ionic


¹⁻⁷ Information on page 184












-H19R SIGNATURE

01 | 02 |













-><-4000 lm¹

→ 330 m¹

O 20 h¹




- **01 Fusion Beam** individually adjustable flood and spotlight for a unique light image with perfect illumination
- **02 Multi-Core Optics** homogeneous light image through special faceting of the lens
- **03 Ledlenser Connect app** and **Bluetooth® remote control** enable personalization and remote control of the light functions
- **04 Optisense Technology** automatic adaptation to the light conditions thanks to the integrated sensor
- **05** Extreme dust and water protection (IP68)
- **06 Additional red light** to maintain night vision
- **07** Stepless **swivel mechanism** for vertical alignment of the light cone
- **08 Ledlenser Connecting System** an interface for many accessory parts (see page 162)
- **09 Additional content:** 1. Bluetooth® remote control, 2. battery, 3. USB power adapter, 4. Magnetic charging cable, 5. Extension cable 6. Helmet connecting kit, 7. Helmet clips, 8. GoPro Adapter, 9. Universal holder, 10. Stand holder ▶ Supplied in a soft case
- 10 Reflective headband

) LEDLENSER (











H7R SIGNATURE

H19R SIGNATURE

L	ED		
$\overline{\triangle}$	LED-Configuration	1x Xtreme LED	1x Xtreme LED
411	Light Functions	Boost / Power / Low Power (+ Strobe, Positon, SOS and Blink)	Boost / Power / Mid Power / Low Power (+ Strobe, Positon, SOS and Blink)
- <u>`</u> Ċ-	Luminous flux¹ (lm)	1200 / 700 / 15	4000 / 1800 / 800 / 200
□ ⇒	Beam Distance ¹ (m)	260 / 220 / 25	330 / 250 / 150 / 80
<u>(L)</u>	Run Time ¹ (h)	- / 3,5 / 65	- / 3,5 / 7 / 20
g _K	Color temperature (K)	6500	6500
(CRI)	Color rendering index (CRI)	80	80
В	SATTERY AND CASE		
	Battery	1x 21700 Li-ion Battery 3,7V	1x Li-ion Batterypack 7,4V
III-I	Battery Capacity ² (Wh / mAh)	17,76 / 4800	35,52 / 4800
ф	IP Level	IP67	IP68
٩	Rechargeable	Yes	Yes
<u>(L)</u>	Charging Time ⁵ (min)	210	330
<u></u>	Drop height (m)	1,5	1,5
S	IZE AND WEIGHT		
\bigcirc	Head diameter (mm)	41	68
g	Weight incl. Battery (g / oz)	259 / 9,1	374 / 13,2
Т	ECHNOLOGY		
(Fusion Beam		•
	Flex Sealing Technology	•	
<u></u>	Magnetic Charge System	•	•
	Temperature Control	•	•
	Advanced Focus System	•	
	More features	Cooling Technology, Emergency Light, Bluetooth®, Dimmable, Transportation Lock, Flicker-free, Memory Mode, Backup Mode, Battery Indicator, Charge Indicator, Low Battery Warning, Constant Light	· · · · · · · · · · · · · · · · · · ·
P	ACKAGING		

502197 / 4058205021081 Item no. Box / GTIN

> adapter, helmet holder, velcro fasteners, adhesive pads, magnetic charging cable, tripod holder, USB power adapter,

1 set of batteries, helmet clips, GoPro

universal holder, extension cable

control, helmet clips, GoPro adapter, helmet holder, Velcro fasteners, magnetic charging cable, tripod holder, USB power adapter, universal holder, Extension cables, adhesive pads

1 set of batteries, Bluetooth® remote

502198 / 4058205021111

Price (MSRP) in €

Accessories on page 162

Contents Soft Case

149,00

299.00

1-6 Information on page 184

THE NEW H-SERIES WORK FROM PAGE 104 THE NEW **H-SERIES CORE** FROM PAGE **74**



ACCESSORIESHEADLAMPS

H-SERIES SIGNATURE

LEDLENSER CONNECTING SYSTEM



MODEL	H7R SIGNATURE	H19R SIGNATURE	Item no.	MSRP (€)
GoPro Adapter Type D NEW	•	•	502246	7,90
Tripod Adapter Type D NEW	•	•	502247	9,90
Belt Clip Type A NEW	•	•	502253	6,90
Helmet Connecting Kit H NEW	•	•	502314	14,90
Universal Mounting Bracket Type E NEW	•	•	502256	12,90



Item no. 502311

Wireless Remote Control Type A

Ledlenser meets Bluetooth®: With

this handy remote control, compatible Ledlenser lights with Bluetooth® function can be controlled remotely at the touch of a button. The remote control is linked to the headlamp via the Ledlenser Connect app and can then e.g. can be worn on the wrist, handlebars or ski / hiking poles to have the perfect light within easy reach

34,90 € (MSRP)



Extension Cable

Practical extension cable (120 cm) that is plugged in between the lamp head and the battery box - so the battery can easily be stowed in the backpack





NEW No. 502411

Bluetooth® 2x 21700 Batterybox Upgrade to smart control: Bluetooth® Li-ion battery box for use with the Ledlenser Connect app or with the available remote control 59,90 € (MSRP)



Item no. 502265

Magnetic Charging Cable

Magnetic charging cable with

standard USB-A connector

6,90 € (MSRP)

ACCESSORIES POWER SUPPLY / COLOR FILTERS AND MORE

H7R SIGNATURE	H19R SIGNATURE	Item no.	MSRP (€)
•	•	502311	34,90
•		502308	18,90
•		502313	4,90
•	•	502451	9,90
•	•	502469	9,90
•	•	502470	9,90
•	•	502471	12,90
•	•	502265	6,90
•	•	502312	9,90
•	•	502271	14,90
•		502262	24,90
	•	502310	39,90
•		502410	49,90
•	•	502411	59,90
		SIGNATURE SIGNATURE SIGNATURE SIGNATURE	SIGNATURE SIGNATURE • 502311 • 502308 • 502313 • 502451 • 502469 • 502470 • 502471 • 502265 • 502271 • 502310 • 502410
















- **01 Ledlenser Connect App** offers direct control and programmable light functions
- **02 Optisense Technology** automatically adjusts to surrounding light conditions
- 03 Advanced Focus System stepless focusing
- **04 Multicolor LED** in red, green and blue for use at night, hunting and fishing
- **05** Smooth **Swivel Mechanism** allows for a click-less light tilt in an upward or downward motion
- **06 Innovatives Mounting System** enables quick detachment of the lamp head from the band to use as a handheld light
- **07 Magnetic Charging System** for fast and easy battery charging





¹⁻⁷ Information on page 184





1 set of batteries, magnetic charging cable

0374 Elastic Reflecting Headband Type A

0380 USB Car Charger

39,90

0374 Elastic Reflecting Headband Type A 502093 Powercase (siehe S.137)

⁄ Н3	MH

	1411 10	IVII I 4
LED		
☐ LED-Configuration	1x High Power LED	1x High Power LED, 1x Red LED
III Light Functions	Power / Low Power	Power / Low Power
-\(\rac{\dagger}{\chi}\)- Luminous flux¹(lm)	200 / 20	400 / 20
⊏□→ Beam Distance¹ (m)	130 / 40	180 / 40
L Run Time ¹ (h)	4,5 / 35	4 / 35
BATTERY AND CASE		
□ Battery	1x Mignon (AA) Alkaline 1,5V	1x 14500 Li-ion Battery 3,7V
Battery Capacity ² (Wh / mAh)	-	2,77 / 750
(a) Rechargeable	No	Yes
Charging Time ⁵ (min)	-	150
1P Level	IP54	IP54
SIZE AND WEIGHT		
Head diameter (mm)	31	31
Weight incl. Battery (g / oz)	92 / 3,2	94 / 3,3
TECHNOLOGY		
Smart Light Technology	•	•
Rapid Focus	•	•
Dual Power Source	•	•
Advanced Focus System	•	•
Magnetic Charge System		•
More features	Low Battery Warning	Low Battery Warning, Battery Indicator, Charge Indicator, Red Light
PACKAGING	COLOR VARIATIONS	
Item no. Window Box / GTIN	502148 orange / 4058205019729	502151 black / 4058205020121
Item no. Window Box / GTIN	502149 yellow / 4058205019750	502152 sand / 4058205019545
Item no. Window Box / GTIN	502150 blue / 4058205019781	
Item no. Window Box / GTIN	501597 black / 4058205014656	
	-	

500948 white / 4058205012164

1 set of batteries

500986 Charging station

500985 14500 Li-ion rech. Battery

29,90



MH₅

1x High Power LED, 1x Red LED
Power / Low Power
400 / 20
180 / 40
4 / 35

1x 14500 Li-ion Battery 3,7V
2,77 / 750
Yes
150
IP54

P54	
1	
4 / 3,3	
)	
)	

Low Battery Warning, Battery Indicator, Charge Indicator, Red Light

502143 orange / 4058205019576
502144 yellow / 4058205019606
502145 blue / 4058205019811
502147 black / 4058205019873
502146 white / 4058205019842
4 . (1

1 set of batteries, magnetic charging cable

39,90

502093 Powercase (siehe S.137) 0374 Elastic Reflecting Headband Type A 0380 USB Car Charger

¹⁻⁷ Information on page 184



- **01 Advanced Focus System –** stepless focusing
- **02 Innovatives Mounting System** enables easy to remove and put on lamp head and battery
- **03 Numerous attachment options** using metal clips on the lamp head
- **04 Red light function** to maintain the night vision ability
- **05** Variable **swivel mechanism** for aiming the light cone
- **06 Dual Power Source** rechargeable or primary battery, this technology allows for both
- **07** Convenient and safe charging of the batteries thanks to Magnetic Charge System
- **08 Battery indicator** and **charge indicator**



Item no. Window Box / GTIN


OPTIONAL ACCESSORIES

more accessories on page 174

Contents Box

Price (MSRP) in €

(41)



MH-SERIES

LED		
$\overline{\triangle}$	LED-Configuration	
वा॥	Light Functions	
- ;¢;-	Luminous flux¹ (lm)	
⇔	Beam Distance ¹ (m)	
<u>(L)</u>	Run Time ¹ (h)	
В	ATTERY AND CASE	
<u> </u>	Battery	
1111-1	Battery Capacity ²	
٩	Rechargeable	
<u>(L)</u>	Charging Time⁵ (min)	
ф	IP Level	
S	IZE AND WEIGHT	
\bigcirc	Head diameter (mm)	
g	Weight incl. Battery (g / oz)	
Т	ECHNOLOGY	
1	Smart Light Technology	
()	Rapid Focus	
	Dual Power Source	
	Advanced Focus System	
<u></u>	Magnetic Charge System	
)	Optisense Technology	

PAC	KAGI	NG
-----	-------------	----


More features

Item no. Window Box / GTIN

Contents Box

Price (MSRP) in €

Optional accessories on page 174





¹⁻⁷ Information on page 184







->; 240 lm¹ — 30 m¹ — 40 h¹ —

- 01 Innovative optics and swivel head for one optimal illumination of the route
- **02 Li-ion-Battery** conveniently rechargeable via micro USB
- **03 Two energy modes** Energy Saving for a long period of time and Constant Light for constant light output
- 04 Visible all around red flashing rear light and reflective headband (refl. headband not with the black MODEL)
- **05** High dust and water protection (IP57)
- 06 Backup Mode more than one hour remaining from the first low battery warning
- **07** Suitable for groups can be used as a chest lamp with the supplied chest strap reducing the mutual glare in running groups





-NEO-SERIES





NEO6R

		1120-	TTEOON
LED			
△ LE	D-Configuration	1x Power LED	1x Power LED
الله Lig	ght Functions	Power / Low Power (+ Blink)	Power / Low Power (+ Blink)
- <u>ˈ</u> Ċ- Lu	minous flux¹ (lm)	240 / 20	240 / 20
⊏ ⇒ Be	am Distance¹ (m)	30 / 10	30 / 10
L Ru	ın Time¹ (h)	6 / 40	6 / 40
BAT	TERY AND CASE		
□ Ba	ttery	3x Micro (AAA) Alkaline 1,5V	1x Li-ion Batterypack 3,7V
Ba	ttery Capacity ² (Wh / mAh)	-	5,18 / 1400
(a) Re	chargeable	No	Yes
Ch Ch	arging Time ⁵ (min)	-	240
⊕ IP	Level	IP57	IP57
SIZE	E AND WEIGHT		
O He	ead diameter (mm)	70	70
Ø We	eight incl. Battery (g / oz)	100 / 3,5	95 / 3,4
TEC	HNOLOGY		
Sm Sm	nart Light Technology	•	•
Ra	pid Focus		
Tei	mperature Control	•	•
⊘ Wi	de Beam	•	•
Ad	Ivanced Focus System		
Мо	ore features	Energy Saving, Constant Light, Low Battery Warning, Rear Light, Transportation Lock	Energy Saving, Constant Light, Low Battery Warning, Charge Indicator, Rear Light, Transportation Lock
PAC	KAGING	COLOR VARIATIONS	
Ite	m no. Window Box / GTIN	500914 blue / 4058205010375	500918 blue / 4058205010498
Ite	m no. Window Box / GTIN	500915 green / 4058205010405	500919 green / 4058205010528
Ite	m no. Window Box / GTIN	500916 pink / 4058205010436	500920 pink / 4058205010559
Ite	m no. Window Box / GTIN	500982 black / 4058205013581	500983 black / 4058205013550
Со	ntents Box	1 set of batteries	1 set of batteries, Chest strap, USB cable
Pric	e (MSRP) in €	29,90	49,90
OPT	TONAL ACCESSORIES		
		0332 Pouch Type H	0332 Pouch Type H
more	accessories on page174	500981 4x AAA Alkaline Ionic	



1x Xtreme LED	
Power / Mid Power / Low Power	
600 / 250 / 10	
150 / 100 / 20	
10 / 15 / 120	

	1x 18650 Li-ion Battery 3,6V
	11,52 / 3200
	Yes
	360
	IP54
-	

36	
179 / 6,3	
•	
•	
•	

Energy Saving, Constant Light, Charge Indicator, Low Battery Warning, Rear Light, Transportation Lock


J	500917 blue / 4058205010467
	500984 black / 4058205013529

1 set of batteries, Chest strap, USB cable, Extension cable

Extension cable	
99,90	
0380 USB Car Charger	

MEDI DE Spiegaple






- **01 Swiveling and focusable lamp head** for optimal illumination
- **02 Vertical battery box** for a secure hold and comfort when running
- **03 Batterybox can be easily clipped off** and can be used in combination with the included extension cables to be stowed away elsewhere
- **04 Visible all around** red glowing rear light and reflective headband (refl. headband only with the blue color variant)
- **05 Two energy modes** Energy Saving for long running time and Constant Light for constant light output
- **06** Suitable for groups can be used as a **chest lamp** with the supplied chest strap reducing the mutual glare in running groups



ACCESSORIES HEADLAMPS

MODEL	мн3	MH4	МН5	MH7	MH8	MH11	NE04		NE06R	NE010R	Item no.	MSRP (€)
Powercase NEW		•	•	•	•						502093	49,90
Powerbank Flex3 NEW						•					502126	34,90
Powerbank Flex7 NEW						•					502125	54,90
Batterybox7 NEW						•					502128	29,90
Helmet Connecting Kit Type D	•	•	•								502220	9,90
Helmet Connecting Kit Type E				•	•						502221	9,90
Helmet Connecting Kit Type F						•					502222	9,90
Helmet Connecting Kit Type G	•	•	•	•	•	•					502223	14,90
Helmet Band Fixing Clips Type A NEW	•	•	•	•	•	•				•	502313	4,90
Universal Mounting Bracket Type D						•					502052	19,90
Pouch Type H							•		•		0332	12,90
Reflecting Headband Type A		•	•								0374	12,90
USB Car Charger		•	•	•	•	•			•	•	0380	9,90
USB Power Supply and Adapter Cable									•	•	0389	14,90
USB Adapter 2.4A		•	•	•	•	•					502271	14,90
Li-lon Rechargeable Battery Pack 3,7V 1550 mAh				•	•						500987	17,90
4x AAA Alkaline Ionic							•				500981	3,49
4x AA Alkaline Ionic	•	•	•	•	•						500980	3,49
14500 Li-ion Rechargeable Battery 3,7V 750 mAh	•	•	•								500985	12,90
Charging station and 14500 Li-ion Rechargeable Battery	•	•	•								500986	18,90
18650 Li-ion Rechargeable Battery 3,6V 3200 mAh						•				•	501001	24,90





diverse Item no.

Helmet Connecting Kit Type D, E, F

Simple helmet holder for front attachment to the helmet with an adhesive pad 9,90 € (MSRP)



Helmet Connecting Kit Type G

Helmet holder for head-side attachment to the helmet via rubber band and plastic clips or adhesive pad 14,90 € (MSRP)





Universal bracket for attaching headlamps to rods with a diameter of 14mm to 32mm

19,90 € (MSRP)

Transport safely, charge conveniently

- Safe, secure transportation and protection for your
- Internal magnetic charging for compatible Ledlenser
- Powerbank (5,000 mAh) with USB-A connection
- Battery charging indicator











Price, MSRP (€)	49,90
Contents	Snap hook, USB cable
Item no.	502093
Charging Time ⁵ (min)	180
Capacity ² (Wh / mAh)	18,5 / 5000
Weight incl. Battery (g)	219
POWERCASE	



(41)




MP CONNECT MP Sespile















- 01 Micro Prism Technology patented⁴ lens technology for glarefree light and high energy efficiency
- 02 Ledlenser Connect App and wireless Bluetooth® remote control enable personalization and remote control of the light functions
- 03 Infinitely dimmable via three-way switch
- **04 Powerbank function** with USB connection for charging electronic
- 05 Red light to maintain night vision ability
- **06** Rubber hook for hanging the light, integrated magnet for mounting it on metal surfaces, and a removable stand with a built-in metal hook that can be flipped out to provide more light mounting options
- **07** Convenient and safe charging of the batteries thanks to the Magnetic **Charge System**
- **08** Integrated battery and charge status display

GLARE-FREE 360° ENLIGHTENMENT WITH REMOTE CONTROL

Bluetooth









1-7 Information on page 184

— ML-SERIES









ML <mark>4</mark>	ML4 Warm Ligh

LED		
△ LED-Configuration	9x Power LED	9x Power LED
णा Light Functions	Boost / Power / Mid Power / Low Power (+ Blink)	Boost / Power / Mid Power / Low Power (+ Blink)
-\hat{-}- Luminous flux¹ (lm)	300 / 150 / 50 / 5	300 / 150 / 50 / 5
□ Beam Distance¹ (m)	_	-
(h) Run Time¹ (h)	- / 2,5 / 8 / 45	- / 2,2 / 7 / 40
BATTERY AND CASE		
☐ Battery ☐ Ba	1x 14500 Li-ion Battery 3,7V	1x 14500 Li-ion Battery 3,7V
Battery Capacity ² (Wh / mAh)	2,77 / 750	2,77 / 750
(a) Rechargeable	Yes	Yes
Charging Time ⁵ (min)	150	150
P Level	IP66	IP66
SIZE AND WEIGHT		
Diameter (mm)	34,5	34,5
∠¹ Length (mm)	97	97
Weight incl. Battery (g / oz)	71 / 2,5	71 / 2,5
TECHNOLOGY		
Smart Light Technology	•	•
Micro Prism Technology	•	•
Temperature Control	•	•
Powerbank-Funktion		
Magnetic Charge System	•	•
Dual Power Source	•	•
More features	Low Battery Warning, Charge Indicator, Battery Indicator, Transportation Lock, Red Light	Low Battery Warning, Charge Indicator, Battery Indicator, Transportation Lock, Red Light
PACKAGING		
Item no. Window Box / GTIN	502053 / 4058205017886	502231 / 4058205022125
Contents Box	1 set of batteries, magnetic charging cable	1 set of batteries, magnetic charging cable
Price (MSRP) in €	39,90	39,90
OPTIONAL ACCESSORIES		
	502271 USB Adapter 2.4A	502271 USB Adapter 2.4A
more accessories on page182	0380 USB Car Charger	0380 USB Car Charger













ML6 ML6 Warm Light ML6 Conne	ct W

18x Power LED	18x Power LED	18x Power LED
Boost / Power / Low Power (+ Blink, Pulse, S.O.S., Strobe)	Boost / Power / Low Power (+ Blink, Pulse, S.O.S., Strobe)	Boost / Power / Mid Power / Low Power (+ Blink, Pulse, Position, Strobe, S.O.S., Alpines Notsignal)
750 / 550 / 5	750 / 550 / 5	750 / 550 / 100 / 5
_	-	-
- / 4 / 240	- / 3,5 / 200	- / 3,5 / 12 / 180
1x 18650 Li-ion Battery 3,6V	1x 18650 Li-ion Battery 3,6V	1x 18650 Li-ion Battery 3,6V
11,52 / 3200	11,52 / 3200	11,52 / 3200
Yes	Yes	Yes
300	300	300
IP66	IP66	IP66
42	42	45
178	178	178
280 / 9,9	280 / 9,9	260 / 9,2
•	•	•
•	•	•
•	•	•
•	•	•
		•
Low Battery Warning, Charge Indicator, Battery Indicator, Dimmable, Transporta- tion Lock, Red Light, Memory Mode	Low Battery Warning, Charge Indicator, Battery Indicator, Dimmable, Transporta- tion Lock, Red Light, Memory Mode	Low Battery Warning, Charge Indicator, Battery Indicator, Dimmable, Transporta tion Lock, Red Light, Bluetooth®, Memory Mode, Emergency Light
500929 / 4058205011259	502084 / 4058205017916	502201 / 4058205021203
1 set of batterie, stand, transport bag, USB cable	1 set of batterie, stand, transport bag, USB cable	1 set of batterie, stand, transport bag, magnetic charging cable
79,90	79,90	99,90
500993 Tripod Type A	500993 Tripod Type A	500993 Tripod Type A
502126 Flex3 Powerbank NEW	502126 Flex3 Powerbank NEW	502126 Flex3 Powerbank NEW



OUTDOOR & SPORTS

ACCESSORIESLANTERNS

ML4	ML4 Warm Light	Item no.	MSRP (€)
•	•	500985	12,90
•	•	500980	3,49
•	•	500986	18,90
•	•	0380	9,90
•	•	0389	14,90
	ML4 • • • • •	MI /ı I	ML4 Warm Light S00985

MODEL	ML6	ML6 Warm Light	ML6 Connect WL	Item no.	MSRP (€)
Tripod Type A	•	•	•	500993	19,90
18650 Li-ion Rechargeable Battery 3,6V 3200 mAh	•	•	•	501001	24,90
USB Car Charger	•	•	•	0380	9,90
USB Power Supply and Adapter Cable	•	•	•	0389	14,90
Flex3 Powerbank NEW	•	•	•	502126	34,90
Flex7 Powerbank NEW	•	•	•	502125	54,90
Batterybox7 NEW	•	•	•	502128	29,90







Item no. 502128

Batterybox7

More information on page 40
29,90 € (MSRP)



-NOTES

The information pertaining to package contents, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change package contents, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and misprints excepted.

- 1) Measurements according to ANSI FL1 on the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (Lumen/lm) and beam distance (meters/m) on the highest setting and to the run time (hours/h) on the lowest setting. If the light is equipped with color LED(s), the measurements indicated apply to white light or white LED. A boost function (if applicable) can be used several times, but only for short periods of time. If the light has different energy modes, measurement is based on "energy saving mode."
- 2) Calculated capacity value in watt-hours (Wh) or milliampere hours (mAh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

3) EP Patent 1880139; US Patent 7,461,960

- 4) Five year warranty from the date of purchase, or seven years with online registration through our website. The warranty applies worldwide; legal warranty rights also apply. It covers defects in material and manufacture. Battery packs are guaranteed to work correctly for 24 months. This warranty does not cover products in the "Solidline" series. Ledlenser K1 and Ledlenser K2, as well as defective batteries, holsters, pouches, remote switches, color filters, imprints and surface coatings. The warrantor is Ledlenser GmbH & Co. KG, Kronenstr. 5-7, 42699 Solingen, Germany. For more information visit ledlenser.
- 5) The average charging time of the batteries in the delivery state in minutes may vary depending on the power supply unit
- 6) Additional talk time using the example of an iPhone X when charging with the fully charged batteries contained in the content of the article in question.

7) EP-Patent 3376097

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of these by Ledlenser GmbH & Co. KG is under license

You can find our terms and conditions at www.ledlenser.com

Ledlenser GmbH & Co. KG Kronenstraße 5-7, 42699 Germany, Deutschland USt-IdNr.: DE815242425, Amtsgericht Wuppertal, HRA 23078 Personally liable partner: Ledlenser Beteiligungs GmbH Headquarters: Solingen, Deutschland Amtsgericht Wuppertal, HRB 24774 **Executive Director: Thomas Willing**

-LEDLENSER WE'RE LOOKING FORWARD TO PARTNERING WITH YOU

We are always looking for ways to improve how we can support you and your customers. We greatly appreciate any feedback you have on how we can build the Ledlenser brand together.

CONTACT MARKETING

Get answers to marketing questions and approval of marketing materials at: marketing@ledlenser.com

CONTACT TECHNICAL SUPPORT

Our team will help you with technical questions through direct and uncomplicated support: support@ledlenser.com

For customers from Austria: support@ledlenser.at







